

NORTHWEST NAZARENE UNIVERSITY

Web-based Alternative for Teachers Assistants to Submit Time Sheets.

THESIS

Submitted to the Department of Mathematics and Computer Science
in partial fulfillment of the requirements
for the degree of
BACHELOR OF ARTS

Joshua Lawrence Gambill
2018

THESIS
Submitted to the Department of Mathematics and Computer Science
in partial fulfillment of the requirements
for the degree of
BACHELOR OF ARTS

Joshua Lawrence Gambill
2018

Web-based Alternative for Teachers Assistants to Submit Time Sheets.

Author:

Joshua Gambill

Joshua Lawrence Gambill

Approved:

Barry Myers

Barry Myers, Ph.D., Professor of Computer Science,
Department of Mathematics and Computer Science, Faculty Advisor

Approved:

Mark Baas

Mark Baas, Resident Director for Corlett Hall at Northwest
Nazarene University, Second Reader

Approved:

Barry Myers

Barry L. Myers, Ph.D., Chair,
Department of Mathematics & Computer Scienc

Abstract

Web-based Alternative for Teachers Assistants to Submit Time Sheets.

GAMBILL, JOSHUA (Department of Mathematics and Computer Science), MYERS,
DR. BARRY (Department of Mathematics and Computer Science).

A web-based application that provides teachers assistants with an online alternative to submitting timesheets. This application gives teachers assistants the ability to enter, save, and upload hours worked through a server hosted on the Computer Science Department servers. Teachers are given the ability to view registered students and their respective hours. System Admins are given the ability to see the registered students, their time sheets, registered teachers, and their students. The front end of this application was developed using Sublime Text with HTML, CSS, and JavaScript to display the user interface for different levels of user as well as a login page. The database was developed using MySQL hosted on a XAMPP server to store time sheets, registered users, and passwords. The server uses phpMyAdmin as an administration tool to manage all information uploaded to the server. The front end website was connected using PHP scripts written with the functionality to give users different information upload options based off of user type. The server is scheduled to be implemented on the Computer Science Department servers but is currently implemented on a desktop personal computer.

Table of Contents

Title Page.....	i
Signature Page.....	ii
Abstract.....	iii
Table of Contents.....	iv
Table of Figures.....	v
Introduction.....	1
Overview.....	1
Background.....	1
Body.....	2
Analysis and Design.....	2
Web Development.....	4
Database Development.....	7
Connection.....	8
Future Work.....	10
Conclusion.....	11
References.....	12
Appendix A.....	13

Table of Figures

ERD Tables.....	3
JavaScript Dropdown Function.....	4
JavaScript Sum Function.....	5
Student Login Page.....	6
Final ERD Diagram.....	8
Empty Fields Function.....	9
Hashed Passwords.....	10

Overview

The goal of this project is to offer a web-based alternative to Teachers Assistant timesheet system that is currently in use. This includes both front-end development of a web application and back-end development of a MySQL database to store any information necessary. Specific desired functionalities include the ability to register as a student, professor or admin, at the level of student the ability to upload start and stop times, dates, and total work hours to the database. At the professor access level, the ability to observe current active students currently registered to that specific professor, accept or deny registered students, and save reports based off of specific students. For the admin access level, the ability to observe both active students and professors, accept or deny registering professors and students, upload additional information about specific students, and save reports based off of particular professors or students.

Background

In the various departments that together make up the Science Departments at Northwest Nazarene University (NNU), it is common for individuals to have several Teachers Assistants (TAs). These TAs are hired to complete tasks such as grading, running labs, and research. To keep track of student hours worked there is a system that has been implemented. The system is based on the use of Google Sheets.

The structure of this systems has three separate types of users; students, professors, and an admin. Each student is assigned a Google Sheet that has space to input information such as time in, time out, hours worked, and tasks. Each sheet is also shared with the specific professor that each student is doing work for, the professor has the job of approving monthly totals for each student. The admin has the responsibility of making sure that all students have submitted

hours and all professors have approved of these hours along with running a master spreadsheet that contains other information such as budget numbers.

This project aims to replace this system with a web-based application that not only automates most of the processes but also helps maintain data integrity. This application seeks to limit human error that comes from manual number transfers from student time sheets to the master spreadsheet. Another feature is to improve data extraction, a professor or an admin will be able save CSV files based off of specific parameter as opposed to manually searching for that information in several Google Sheets.

Analysis and Design

The initial design of this application began by merely observing the structure of the current spreadsheet system. This was done by noting what information each level of the user could view and what information each user inputs into their respected spreadsheets. The student user level readily has access to the least amount of information as these users do not need to know who else is working as a TA and their hours. The Professor user, on the other hand, had access to all of the student hours under their employment and through the Student Activities form that the student turns in to fully become employed, they have power over who can become a TA.

At Admin user level, each user has complete access to all information about both students and professors. An admin user also has the responsibility to add other information about each student such as budget number, total pay, Post Office Box numbers, and hourly rate. Other required functionalities include having an active TA and Professor list, control over who can become a TA despite approval by professors, and a way to actively retrieve data about a specific

student or professor. Through understanding the information that each level of user has, a design of the database and web application were able to begin.

The database of this project is the most critical component. Without it the website would only be several buttons and input bars without function. Using information gathered from system analysis, the five primary entities were identified and would be used to build the database in the design stage. The first three tables would represent the three user levels and store login information. The tables were simple name student, professor, and admin. The other two tables were based on data uploaded from different users, that being the budget table and the timesheet table. Using MySQL Workbench and the data collected from the analysis stage, the first Entity Relationship Diagrams (ERD) were created. Though several iterations were built over the course of development, the ERD shown below represents the different tables used to construct the final database.




Figure 1 Tables Used to Create the Final ERD

Web Development

The development stage of this project was split into three separate parts, the first being the development of the website interface. The first challenge was to implement different pages to be used to implement all the functional requirements of each level of a user. As well as creating an interface that allows easy navigation through all of these pages, but only the pages that each user level has access to. This was achieved through the inclusion of a navigation bar directly under the central header that contains different options based off of who is logged into the website.

The student site is the simplest due to the fact that a student level user has only the permissions to view and edit their time sheets. Through the use of several JavaScript functions, specific drop-down buttons could show a different months' time sheet based off of the user's selection. Each month has a form for the student to enter their information, one line per scheduled time, with the addition of a button that adds another row gives the user the ability to add multiple numbers of scheduled work times along with the feature to delete any unused rows. This again was accomplished using JavaScript functions.

```
/*
 *      These javascript functions are used for the dropdown menus in the student time sheets pages, each dropdown gives the
 *      student the option of selecting different semesters and different months, on select each shows a certain page based
 *      off of the student's selection.
 */

function sem() {
    document.getElementById("semDropdown").classList.toggle("show");
}

window.onclick = function(event) {
    if (!event.target.matches('.semDropBtn')) {
        var dropdown = document.getElementsByClassName("semContent");
        var i;
        for (i = 0; i < dropdown.length; i++) {
            var openDropdown = dropdown[i];
            if (openDropdown.classList.contains('show')) {
                openDropdown.classList.remove('show');
            }
        }
    }
}
```

Figure 2 JavaScript Function With that Creates the Student Semester Dropdown Menu

Figure 2 is an example of one of these JavaScript functions. This function specifically, named sem() is used to create a drop-down menu of which the student selects the semester they are working in. The three options; Spring, Fall, and Summer then present the user with a separate drop-down menu that allows them to select the month for which they wish to submit hours for. However, due to the student selecting the semester, the month dropdown will only give the user the option to select months that are a part of that semester. Figure 3 shows a JavaScript function that was implemented to add up total hours for each month; the total was displayed in a separate form that contains an input for a date, a signature, and student id number. These functions slightly altered and reused for pages in both the Admin and Professor sections of the website, precisely the layout of the page was kept constant across all users along with any drop-down menus. Because all of the functionality of the Admin and Professor pages rely on back-end PHP scripts to fulfill the functionality requirements, therefore, it will be discussed in full in a different section.

```
function monthSum(){
    var arr = document.getElementsByName('dayTotal');
    var dayTotal=0;
    for(var i=0;i<arr.length;i++){
        if(parseInt(arr[i].value))
            dayTotal += parseInt(arr[i].value);
    }
    document.getElementById('monthTotal').value = dayTotal;
}
```

Figure 3 JavaScript Function That Calculates the Total Hours From a Time Sheet

The next section of the web development stage was to create the login pages. However, since there are three levels of users, the website required three login pages for the different types of users. A separate page was developed that contained buttons that linked to each of these login pages, these buttons allow a user to select what page they wish to view. Each button when clicked navigated to a different user level login page. The login page followed the same styling that was created for the student time sheet page. The page itself simple contained an input box for the user's email and password as shown in Figure 4.

A screenshot of a 'Student Login' form. The form is contained within a light gray rectangular box. At the top center, the text 'Student Login' is displayed in bold black font. Below this, there are two input fields: the top one is labeled 'NNU E-mail' and the bottom one is labeled 'Password', both in a standard black font. Underneath these fields is a dark red rectangular button with the word 'Login' in white. Below the input fields, the text 'Not registered?' is centered in bold black font. At the bottom of the form, there are two more dark red rectangular buttons, one labeled 'Register' and the other labeled 'Return', both in white text.

Figure 4 Student Login Form

Database Development

The second development step was to create the database that the website would have a connection with. The software that was used includes XAMPP to host an Apache and MySQL server, and it was decided that PhpMyAdmin would be used as an administration tool for development. PhpMyAdmin gives the developer the ability to manipulate different aspects of the database without having to do most of it by hand. PhpMyAdmin also has the ability to observe when and what types of data were inserted which is an essential part of developing the connection between the database and the web service.

The database itself was created using MySQL in PhpMyAdmin and utilized all the design information mentioned in the design section. In the student table, student ids were selected to be the primary key specifically because each student's id number is unique to that person. Student ID would also be helpful in some of the other tables such as the time sheet and budget tables as a foreign key. This allows all the information that has been inputted about a student to be linked directly to that student based off of that student's unique ID.

When a student registers on the website they are asked to insert the last name of the Professor that they are working for. This allows the student database table to utilize the column PROF_LNAME as a foreign key to enable all students under a specific Professor to be linked. If each student is connected to their professor, then a query to select all students under that professor's last name is a much more straightforward task. Figure 5 shows the completed final database and the relationships between the tables




Figure 5 Final ERD Diagram

Connection

With the two first parts completed, general layout of the website and the server hosting a database for it to connect it to the last piece of the project, the connecting between the server and the website was next. The language PHP was chosen, and the login system was the first area of connection development. Using the already created login page, a registration page was designed based off of the general layout used for all the other pages. However, there were three separate registration pages created due to the different types of information required for each level of a user.

Using PHP, a general login system was developed with certain types of error handling implemented. This system uses if/else statements to perform the error handling for different types of errors. For example, when a student registers the form asks for the student's ID, last and first name, email, password, and professor. When a student is entering this information but presses the submit button without filling out everything without any error handling the PHP

script will attempt to insert nothing into a database. This type of activity could either cause null fields or other problems. The first set of if/else statements uses the PHP function empty() to check whether each area has been filled as shown in figure 6.

```
/* Check for empty fields */

if (empty($id) || empty($FName) || empty($LName) || empty($email) || empty($password) || empty($profName)) {
    header("Location: ../RegisterStudent.php?RegisterStuden=empty");
    exit();
}
```

Figure 6 If Statement that Checks for Empty Fields

The next set of error handlers checks the content of the first and last name input boxes. If a student accidentally puts a number into one of the name input boxes, the error handler will catch this because it compares the input information against a set of acceptable values. In the case of this input box, the acceptable values range from a to z and A to Z only, since there is a number in one of the names the function throws an error. Other issues such as valid emails addresses are also checked, the function FILTER_VALIDATE_EMAIL, does precisely this and if, the email address is invalid an error is thrown.

One preventative function that has been implemented is the ability to check against registered users to ensure that the user that is currently registering is not already registered. This is done by a SQL query that calls all users with, in the student's case, the same Student ID. If there are any results, an error is thrown. If there are no results then the student is registered, and their information is pushed to the database.

An added security measure that is implemented after all of the error handlings is the password_hash() function, which as the name suggests, hashes the inputted password before pushing it to the database. The purpose for this is to help prevent passwords from being completely visible from the PhpMyAdmin page. Instead, a seemingly random string of

characters would be displayed. Figure 7 demonstrates how this function was implemented in this case. The next step is to use a simple INSERT INTO query to push the login information to the database. All three registration forms use this same system with the different syntax to fit the differences between the tables.

	<input type="checkbox"/> Edit Copy	STUDENT_ID	STU_LNAME	STU_FNAME	STU_EMAIL	STU_PASSWORD
<input type="checkbox"/>	Copy	123456	One	Student	student1@nnu.edu	\$2y\$10\$BzRMIFBQaUuo0ire050WC.DsXBxDFTN41hZ2xxFWZlp...
<input type="checkbox"/>	Copy	123654	Two	Student	student2@nnu.edu	\$2y\$10\$3Gv/WI.I4fHvogR8KrMKzeM95wveaqOxknegU3MfsUi...
<input type="checkbox"/>	Copy	456789	Four	Student	student4@nnu.edu	\$2y\$10\$yQxkUXaOIUsENa2PaA4IMu0S8xMNhpA2.n.qZwQWOO...
<input type="checkbox"/>	Copy	741258	Doe	Jon	jdoe@nnu.edu	\$2y\$10\$79Z1w/nl4ng9L4KaSJNxiev1kDI58g0TUhg1YL6NQ52...
<input type="checkbox"/>	Copy	789456	Three	Student	student3@nnu.edu	\$2y\$10\$5mLcoK4L6QCAgLLfugvAK.KBRg.brVMcaK9kJ7wWz.g...

[↑](#) [Check all](#) With selected: [Edit](#) [Copy](#) [Delete](#) [Export](#)

Figure 7 The Hashed Password Displayed In PhpMyAdmin

One of the main requirements for both the Admins and the Professors is the ability to see active students and certain information about them. Using PHP scripts, a list of students was generated based off of current information in the database by using a SELECT * FROM student query, which returns all data from the student table. Through a while loop to obtain all the results from the query, each result was added to the list one the Admin web page displaying the specific information: Student ID, student first and last names, and emails. The professor page uses the same query but with a modification that selects all students from the student table that have the logged in professor as their professor.

Future Work

There are some functionality requirements that were not completed for this project; the first has to deal with the registration of students and professors. To avoid students that are not cleared to be TAs each professor has to approve the registration of each student. This will be

accomplished in a similar way that the list of active students was achieved. The main difference is that there will be two buttons along with each listed pending student, an approve and deny.

The final project would have PHP scripts behind each button, one validating the registered student, the other removing the student. This same process would be used for the admin for both pending students and professors.

The last area that needs to be completed is the reports tab of the website. For the functionality requirements for this project, both the Admin and the Professors require the ability to print reports on registered students with information like their total hours, budget information, associate professors, and all other information stored about each entity. The tab on the webpage is to have a form where the user can specify what information they want from the database. When they press the save button the database is queried and all the specified information is saved to an external CSV file.

Conclusion

Despite some uncompleted features, most requirements were met, and with future work, this website can eventually replace the current TA timesheet system. This new alternative will help the process of students filling out a time sheet and professors approving these time sheets to happen more efficiently and reduce the number of errors by storing all the input information in a database rather than a spreadsheet.

References

- Apache Friends. (2018). *XAMPP Apache + MariaDB + PHP + Perl*. Retrieved from Apache Friends: <https://www.apachefriends.org/index.html>
- Oracle. (2018). *MySQL Workbench 6.3*. Retrieved from MySQL: <https://www.mysql.com/products/workbench/>
- phpMyAdmin contributors. (2013). *phpMyAdmin: Bringing MySQL to the web*. Retrieved from phpMyAdmin: <https://www.phpmyadmin.net/>
- Sublime. (2018). *Sublime Text 3*. Retrieved from Sublime Text: <https://www.sublimetext.com/3>
- The Apache Software Foundation. (2018). *Apache Essentials*. Retrieved from Apache: HTTP Server Project: <https://httpd.apache.org/>

Appendix A

Web Application Pages

Login Pages

LoginSelect.php

```
<?php
    session_start();
?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href=".//CSS/TA.css"/></link>
</head>
<body>
<header>
    <article>
        <h1>NNU Teacher's Assistants
            
        </h1>
    </article>
    <nav>
        <div class="navlogin"></div>
    </nav>
</header>
<div>
    <div class="loginSelect">
        <form>
            <button id="BigButton"><a href="Login.php">Student</a></button>
            <button id="BigButton"><a href="ProfessorLogin.php">Professor</a></button>
            <button id="BigButton"><a href="AdminLogin.php">Admin</a></button>
        </form>
    </div>
</div>
<footer>
</footer>
</body>
</html>
```

AdminLogin.php

```

<?php
    session_start();
?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href=".//CSS/TA.css"/></link>
</head>
<body>
<header>
    <article>
        <h1>NNU Teacher's Assistants
            
        </h1>
    </article>
    <nav>
        <div class="navlogin"></div>
    </nav>
</header>
<div>
    <div class="login">
        <form action="includes/LoginAdmin.php" method="POST">
            <h2>Admin Login</h2>
            <input type="text" name="email" placeholder="NNU E-mail"/>
            <input type="password" name="pwd" placeholder="Password"/>
            <button type ="submit" name="submit">Login</button>
            <h3>Not registered?</h3>
        </form>
        <button><a href="RegisterAdmin.php">Register</a></button>
        <button><a href="LoginSelect.php">Return</a></button>
    </div>
<?php

if(isset($_SESSION['ADMIN_ID']))
{
    header("Location:Admin.php");
}

?>
</div>
<footer>
</footer>
</body>

```

```
</html>
```

ProfessorLogin.php

```
<?php
    session_start();
?>
<?php

if(isset($_SESSION['PROF_LAST']))
{
    header("Location:Teacher.php");
    exit();
}

?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href="./CSS/TA.css"/></link>
</head>
<body>
<header>
<article>
    <h1>NNU Teacher's Assistants
        
    </h1>
</article>
<nav>
    <div class="navlogin"></div>
</nav>
</header>
<div>
    <div class="login">
        <form action="includes/LoginProfessorinc.php" method="POST">
            <h2>Professor Login</h2>
            <input type="text" name="email" placeholder="NNU E-mail"/>
            <input type="password" name="pwd" placeholder="Password"/>
            <button type = "submit" name="submit">Login</button>
            <h3>Not registered?</h3>
        </form>
        <button><a href="RegisterProfessor.php">Register</a></button>
        <button><a href="LoginSelect.php">Return</a></button>
    </div>
</div>
```

```
</div>
</div>
<footer>
</footer>
</body>
</html>
```

Login.php

```
<?php
    session_start();
?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href=".//CSS/TA.css"/></link>
</head>
<body>
<header>
<article>
    <h1>NNU Teacher's Assistants
        
    </h1>
</article>
<nav>
    <div class="navlogin"></div>
</nav>
</header>
<div>
    <div class="login">
        <form action="includes/Logininc.php" method="POST">
            <h2>Student Login</h2>
            <input type="text" name="email" placeholder="NNU E-mail"/>
            <input type="password" name="pwd" placeholder="Password"/>
            <button type="submit" name="submit">Login</button>
            <h3>Not registered?</h3>
        </form>
        <button><a href="RegisterStudent.php">Register</a></button>
        <button><a href="LoginSelect.php">Return</a></button>
    </div>
</div>

<?php
if(isset($_SESSION['STU_ID']))
{
```

```
    header("Location:StudentMonthSelect.php");
    exit();
}

?>
```

```
<footer>
</footer>
</body>
</html>
```

Registration Pages

RegisterAdmin.php

```
<?php
    session_start();
?>

<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href=".//CSS/TA.css"/></link>
</head>
<body>
<header>
<article>
    <h1>NNU Teacher's Assistants
        
    </h1>
</article>
<nav>
    <div class="navlogin"></div>
</nav>
</header>
<div>
    <div class="registerProf">
        <form action="includes/AdminSignUp.php" method="POST">
            <h2>Admin Registration</h2>
            <input type="text" name="FName" placeholder="First Name"/>
            <input type="text" name="LName" placeholder="Last Name"/>
            <input type="text" name="email" Placeholder="NNU Email"/>
            <input type="password" name="password" placeholder="Password"/>
            <button type="submit" name="submit">Register</button>
            <button type="cancel" name="cancel"><a
                href="AdminLogin.php">Cancel</a></button>
```

```
</form>

</div>
</div>
<footer>
</footer>
</body>
</html>
```

RegisterProfessor.php

```
<?php
    session_start();
?>

<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href=".//CSS/TA.css"/></link>
</head>
<body>
<header>
<article>
    <h1>NNU Teacher's Assistants
        
    </h1>
</article>
<nav>
    <div class="navlogin"></div>
</nav>
</header>
<div>
    <div class="registerProf">
        <form action="includes/Professorsignup.php" method="POST">
            <h2>Professor Registration</h2>
            <input type="text" name="FName" placeholder="First Name"/>
            <input type="text" name="LName" placeholder="Last Name"/>
            <input type="text" name="email" Placeholder="NNU Email"/>
            <input type="password" name="password" placeholder="Password"/>
            <button type="submit" name="submit">Register</button>
            <button type="cancel" name="cancel"><a
                href="ProfessorLogin.php">Cancel</a></button>
        </form>
    </div>
</div>
```

```
</div>
</div>
<footer>
</footer>
</body>
</html>
```

RegisterStudent.php

```
<?php
    session_start();
?>

<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href=".//CSS/TA.css"/></link>
</head>
<body>
<header>
<article>
    <h1>NNU Teacher's Assistants
        
    </h1>
</article>
<nav>
    <div class="navlogin"></div>
</nav>
</header>
<div>
    <div class="register">
        <form action="includes/Studnetsignup.php" method="POST">
            <h2>Student Registration</h2>
            <input type="text" name="id" placeholder="Student Id"/>
            <input type="text" name="FName" placeholder="First Name"/>
            <input type="text" name="LName" placeholder="Last Name"/>
            <input type="text" name="email" Placeholder="NNU Email"/>
            <input type="password" name="password" placeholder="Password"/>
            <input type="text" name="profName" placeholder="Professor (Last Name)"/>
            <button type ="submit" name="submit">Register</button>
            <button type="cancel" name="cancel"><a href="Login.php">Cancel</a></button>
        </form>
    </div>
</div>
<footer>
```

```
</footer>
```

```
</body>  
</html>
```

Admin Pages

Admin.php

```
<?php  
    session_start();  
?>  
<?php  
    if(!isset($_SESSION['ADMIN_ID']))  
    {  
        header("Location:LoginSelect.php");  
        exit();  
  
    }  
?>  
<!DOCTYPE html>  
<html>  
<head>  
    <link type="text/css" rel="stylesheet" href=".//CSS/Main.css">  
    <script type="text/javascript" src=".//Javascript/TAjscript.js"></script>  
    <script type="text/javascript" src=".//Javascript/month.js"></script>  
    <script type="text/javascript" src=".//Javascript/add-remove.js"></script>  
</head>  
<body>  
    <header>  
        <TextHead>  
            NNU Teacher's Assistants  
            <?php  
                if(isset($_SESSION['ADMIN_ID']))  
                {  
                    echo '<form action="includes/Destroy.php" method="POST">  
                        <button type="submit" name="submit" class="LogoutButton">Logout</button>  
                    </form>';  
  
                }  
            ?>  
        </TextHead>  
    </header>
```

```

<div class="navBar">
    <a href="Admin.php">Students</a>
    <a href="AdminTeachList.php">Professors</a>
    <a href="AdminPendingStudent.php">Pending Students</a>
    <a href="AdminPendingTeach.php">Pending Professors</a>
    <a href="AddStudentInfo.php">Add Student Information</a>
    <a href="Reports.php">Reports</a>

</div>
<div class="studentList">

<a> Active Students</a>

<?php

if(isset($_SESSION['ADMIN_ID']))
{
    include 'includes/dbh.inc.php';
    $sql = "SELECT * FROM student";
    $result = mysqli_query($conn, $sql);
    $resultCheck = mysqli_num_rows($result);

    if ($resultCheck < 1)
    {
        header("Location: ../AdminSpring.php?Error");
        exit();
    }
}

else
{
    echo "<table>";

    while ($content = mysqli_fetch_array($result))
    {

        $ID = $content['STUDENT_ID'];
        $last = $content['STU_LNAME'];
        $first = $content['STU_FNAME'];
        $email = $content['STU_EMAIL'];
        echo "<p><tr><td>". '<button class="save" id="stuShowBtn">' . "$last" .
        '</button>'. "</td></tr></p>";
        echo "<tr><td>". '<div class="studentMain" id="mainBlock"> Student ID: '. "$ID". "

```

```

        "<tr><td>.<div class="studentMain" id="mainBlock">Last Name: ' . "$last
        ."</td></tr>".
        "<tr><td>.<div class="studentMain" id="mainBlock">First Name: ' . "$first
        ."</td></tr>".
        "<tr><td>.<div class="studentMain" id="mainBlock"> Email: ' . "$email" .
        "</td></tr>";

    }
echo "</table>";

}
?>
</div>
</body>
</html>

```

AdminStudentList.php

```

<?php
    session_start();
?>
<?php
    if(!isset($_SESSION['ADMIN_ID']))
    {
        header("Location:LoginSelect.php");
        exit();
    }
?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href="./CSS/Main.css">
    <script type="text/javascript" src="./Javascript/TAjscript.js"></script>
    <script type="text/javascript" src="./Javascript/month.js"></script>
    <script type="text/javascript" src="./Javascript/add-remove.js"></script>
</head>
<body>
    <header>
        <TextHead>
            NNU Teacher's Assistants
            <?php
                if(isset($_SESSION['ADMIN_ID']))
                {
                    echo '<form action="includes/Destroy.php" method="POST">

```

```

        <button type="submit" name="submit" class="LogoutButton">Logout</button>
    </form>';
}

?>
</TextHead>
</header>
<div class="navBar">
    <a href="Admin.php">Students</a>
    <a href="AdminTeachList.php">Professors</a>
    <a href="AdminPendingStudent.php">Pending Students</a>
    <a href="AdminPendingTeach.php">Pending Professors</a>
    <a href="AddStudentInfo.php">Add Student Information</a>
    <a href="Reports.php">Reports</a>

</div>
<div class="studentList">
</div>
<script>
</script>
</body>
</html>

```

AdminTeachList.php

```

<?php
    session_start();
?>
<?php
    if(!isset($_SESSION['ADMIN_ID']))
    {
        header("Location:LoginSelect.php");
        exit();
    }
?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href=".//CSS/Main.css">
    <script type="text/javascript" src=".//Javascript/TAjaxscript.js"></script>
    <script type="text/javascript" src=".//Javascript/month.js"></script>
    <script type="text/javascript" src=".//Javascript/add-remove.js"></script>
</head>

```

```

<body>
<header>
<TextHead>
    NNU Teacher's Assistants
    <?php
        if(isset($_SESSION['ADMIN_ID']))
        {
            echo '<form action="includes/Destory.php" method="POST">
                <button type="submit" name="submit" class="LogoutButton">Logout</button>
            </form>';
        }
    ?>
</TextHead>
</header>
<div class="navBar">
    <a href="Admin.php">Students</a>
    <a href="AdminTeachList.php">Professors</a>
    <a href="AdminPendingStudent.php">Pending Students</a>
    <a href="AdminPendingTeach.php">Pending Professors</a>
    <a href="AddStudentInfo.php">Add Student Information</a>
    <a href="Reports.php">Reports</a>

</div>
<div class="studentList">
Active Professors:
<?php

if(isset($_SESSION['ADMIN_ID']))
{
    include 'includes/dbh.inc.php';
    $sql = "SELECT * FROM professor";
    $result = mysqli_query($conn, $sql);
    $resultCheck = mysqli_num_rows($result);

    if ($resultCheck < 1)
    {
        header("Location: ../AdminTeachList.php?Error");
        exit();
    }
}
else

```

```

{
echo "<table>";

while ($content = mysqli_fetch_array($result))
{
    $last = $content['PROF_LNAME'];
    $first = $content['PROF_FNAME'];
    $email = $content['PROF_EMAIL'];

    echo "<tr><td>'<button class='save'>' . \"$last\" . '</button>' . </td></tr>";
    echo "<tr><td>'<div class='studentMain' id='mainBlock'>Last Name: ' . \"$last
".
        "<tr><td>'<div class='studentMain' id='mainBlock'>First Name: ' . \"$first \".
        "<tr><td>'<div class='studentMain' id='mainBlock'> Email: ' . \"$email
        ". "</td></tr>';

    }
    echo "</table>";
}
}
?>
</div>
<script>
</script>
</body>
</html>

```

ProfReporst.php

```

<?php
    session_start();
?>
<?php
    if(!isset($_SESSION['ADMIN_ID']))
    {
        header("Location:LoginSelect.php");
        exit();
    }
?>
<!DOCTYPE html>
<html>

```

```

<head>
    <link type="text/css" rel="stylesheet" href="./CSS/Main.css"><?php echo time(); ?> "/>
    <script type="text/javascript" src="./Javascript/TAjscript.js"></script>
    <script type="text/javascript" src="./Javascript/month.js"></script>
    <script type="text/javascript" src="./Javascript/add-remove.js"></script>
</head>
<body>
    <header>
        <TextHead>
            NNU Teacher's Assistants
            <?php
                if(isset($_SESSION['ADMIN_ID']))
                {
                    echo '<form action="includes/Destroy.php" method="POST">
                        <button type="submit" name="submit" class="LogoutButton">Logout</button>
                    </form>';
                }
            ?
        </TextHead>
    </header>
    <div class="navBar">
        <a href="Admin.php">Students</a>
        <a href="AdminTeachList.php">Professors</a>
        <a href="AdminPendingStudent.php">Pending Students</a>
        <a href="AdminPendingTeach.php">Pending Professors</a>
        <a href="AddStudentInfo.php">Add Student Information</a>
        <a href="Reports.php">Reports</a>
    </div>

    <div class="pendingStudentList">
        Save Reports
    </div>

    <div class="dropDownMenus">
        <div class="adminDrop">
            <button onclick="admindrop()" class="adminDropBtn">Select Report Type</button>
            <div id="adminDrop" class="adminContent">
                <a href="ProfReports.php">Professor</a>
                <a href="StudentReports.php">Student</a>
            </div>
        </div>
    </div>

```

```

<div class="stuReports">
    <form action="includes/saveProfReports.php" method="POST">

        <input type="text" name="lName" id="lName" class="box" placeholder="Last Name"/>
        <button type="submit" name="submit" class="save">Save</button>
    </form>

```

AdminPendingStudent.php

```

<?php
    session_start();
?>
<?php
    if(!isset($_SESSION['ADMIN_ID']))
    {
        header("Location:LoginSelect.php");
        exit();
    }
?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href=".//CSS/Main.css">
    <script type="text/javascript" src=".//Javascript/TAjaxscript.js"></script>
    <script type="text/javascript" src=".//Javascript/month.js"></script>
    <script type="text/javascript" src=".//Javascript/add-remove.js"></script>
</head>
<body>
    <header>
        <TextHead>
            NNU Teacher's Assistants
            <?php
                if(isset($_SESSION['ADMIN_ID']))
                {
                    echo '<form action="includes/Destroy.php" method="POST">
                        <button type="submit" name="submit" class="LogoutButton">Logout</button>
                    </form>';
                }
            ?>
        </TextHead>
    </header>
    <div class="navBar">
        <a href="Admin.php">Students</a>

```

```

<a href="AdminTeachList.php">Professors</a>
<a href="AdminPendingStudent.php">Pending Students</a>
<a href="AdminPendingTeach.php">Pending Professors</a>
<a href="AddStudentInfo.php">Add Student Information</a>
<a href="Reports.php">Reports</a>

</div>
<div class="pendingStudentList">

<tr><td>Pending Students</td></tr>
<?php

if(isset($_SESSION['ADMIN_ID']))
{
    include 'includes/dbh.inc.php';

    $sql = "SELECT * FROM student WHERE REGISTER_ADMIN = '0'";
    $result = mysqli_query($conn, $sql);
    $resultCheck = mysqli_num_rows($result);

    if (empty($resultCheck))
    {
        echo "<br><br><br><tr><td>No Pending Students</td></tr></br><br><br>";
        exit();
    }
    else
    {
        echo "<tr><td>" . "<table>" . "</td></tr>";

        while ($content = mysqli_fetch_array($result))
        {

            $ID = $content['STUDENT_ID'];
            $last = $content['STU_LNAME'];
            $first = $content['STU_FNAME'];
            echo "<p><tr><td>".<form action="includes/Confirm.php" method="POST">
<button onclick="showNames()" class="save">' . "$last" . '</button>'. "</td></tr></p>';
            echo "<tr><td>".<div class="studentMain" id="mainBlock">Student ID: ' . "$ID " .
                "<tr><td>".<div class="studentMain" id="mainBlock">Last Name: ' . "$last " .
                "<tr><td>".<div class="studentMain" id="mainBlock">First Name: ' . "$first " .
                "<tr><td>".<div class="studentMain" id="mainBlock"><button type="submit"
name="submit" class="SaveButton"> Confirm</button>'. '</form>'. "</td></tr>";
```

```

        }
        echo "</table>";

    }

}

else
{
    header("Location:AdminPendingStudent.php?ERROR");
    exit();
}

?>
</form>
</div>
</body>
</html>

<?php
    session_start();
?>
<?php
    if(!isset($_SESSION['ADMIN_ID']))
    {
        header("Location:LoginSelect.php");
        exit();
    }
?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href="./CSS/Main.css">
    <script type="text/javascript" src="./Javascript/TAjaxscript.js"></script>
    <script type="text/javascript" src="./Javascript/month.js"></script>
    <script type="text/javascript" src="./Javascript/add-remove.js"></script>
</head>
<body>
    <header>
        <TextHead>
            NNU Teacher's Assistants
        <?php
            if(isset($_SESSION['ADMIN_ID']))
            {

```

```

echo '<form action="includes/Destroy.php" method="POST">
<button type="submit" name="submit" class="LogoutButton">Logout</button>
</form>';

}

?>
</TextHead>
</header>
<div class="navBar">
<a href="Admin.php">Students</a>
<a href="AdminTeachList.php">Professors</a>
<a href="AdminPendingStudent.php">Pending Students</a>
<a href="AdminPendingTeach.php">Pending Professors</a>
<a href="AddStudentInfo.php">Add Student Information</a>
<a href="Reports.php">Reports</a>

</div>
<div class="pendingStudentList">
<tr><td>Pending Professors</td></tr>
<?php

if(isset($_SESSION['ADMIN_ID']))
{
    include 'includes/dbh.inc.php';

    $sql = "SELECT * FROM professor WHERE REGISTER_ADMIN = '0'";
    $result = mysqli_query($conn, $sql);
    $resultCheck = mysqli_num_rows($result);

    if (empty($resultCheck))
    {
        echo "<br><br><br><tr><td>No Pending Professors</td></tr><br><br>";
        exit();
    }

    else
    {
        echo "<tr><td>". "<table>". "</td></tr>";

        while ($content = mysqli_fetch_array($result))
        {

```

```

        $last = $content['PROF_LNAME'];
        $first = $content['PROF_FNAME'];
        echo "<p><tr><td>".<form action="includes/ConfirmProf.php" method="POST">
<button class="save">". "$last " . '</button>'. "</td></tr></p>";
        echo "<tr><td>".<div class="studentMain" id="mainBlock">Last Name: ' . "$last "
        ."</td></tr>".
            "<tr><td>".<div class="studentMain" id="mainBlock"> First Name: ' . "$first ".
            "<tr><td>".<div class="studentMain" id="mainBlock"> <button type="submit"
name="submit" class="SaveButton"> Confirm</button>'. "</td></tr>".
            "<tr><td>".<div class="studentMain" id="mainBlock"> <button type="submit"
name="submit" class="SaveButton"> Deny</button>'. '</form>'. "</td></tr>";
        }
        echo "</table>";

    }
}

else
{
    header("Location:AdminPendingTeach.php?ERROR");
    exit();
}

?>
<script>
</script>
</body>
</html>

```

AddStudentInfo.php

ProfReports.php

```

<?php
    session_start();
?>
<?php
    if(!isset($_SESSION['ADMIN_ID']))
    {
        header("Location:LoginSelect.php");
        exit();
    }
?>

```

```

<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href=".//CSS/Main.css"><?php echo time(); ?> "
    <script type="text/javascript" src=".//Javascript/TAjscript.js"></script>
    <script type="text/javascript" src=".//Javascript/month.js"></script>
    <script type="text/javascript" src=".//Javascript/add-remove.js"></script>
</head>
<body>
    <header>
        <TextHead>
            NNU Teacher's Assistants
            <?php
                if(isset($_SESSION['ADMIN_ID']))
                {
                    echo '<form action="includes/Destroy.php" method="POST">
                        <button type="submit" name="submit" class="LogoutButton">Logout</button>
                    </form>';
                }
            ?>
        </TextHead>
    </header>
    <div class="navBar">
        <a href="Admin.php">Students</a>
        <a href="AdminTeachList.php">Professors</a>
        <a href="AdminPendingStudent.php">Pending Students</a>
        <a href="AdminPendingTeach.php">Pending Professors</a>
        <a href="AddStudentInfo.php">Add Student Information</a>
        <a href="Reports.php">Reports</a>
    </div>

    <div class="pendingStudentList">
        Save Reports
    </div>

    <div class="dropDownMenus">
        <div class="adminDrop">
            <button onclick="admindrop()" class="adminDropBtn">Select Report Type</button>
            <div id="adminDrop" class="adminContent">
                <a href="ProfReports.php">Professor</a>
                <a href="StudentReports.php">Student</a>
            </div>
        </div>
    </div>

```

```

</div>

<div class="stuReports">
    <form action="includes/saveProfReports.php" method="POST">

        <input type="text" name="lName" id="lName" class="box" placeholder="Last Name"/>
        <button type="submit" name="submit" class="save">Save</button>
    </form>

```

Professor Pages

Teacher.php

```

<?php
    session_start();
?>
<?php
    if(!isset($_SESSION['PROF_LAST']))
    {
        header("Location:LoginSelect.php");
        exit();
    }
?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href="CSS/Main.css">
    <script type="text/javascript" src="Javascript/TAjaxscript.js"></script>
    <script type="text/javascript" src="Javascript/month.js"></script>
    <script type="text/javascript" src="Javascript/add-remove.js"></script>
</head>
<body>
    <header>
        <TextHead>
            NNU Teacher's Assistants
            <?php
                if(isset($_SESSION['PROF_LAST']))
                {
                    echo '<form action="includes/Destroy.php" method="POST">
                        <button type="submit" name="submit" class="LogoutButton">Logout</button>
                    </form>';
                }
            </TextHead>
    
```

```

    ?>
</TextHead>
</header>
<div class="navBar">
    <a href="Teacher.php">Students</a>
    <a href="Pending.php">Pending Students</a>

</div>
<div class="studentList">
    <a> Active Students</a>

<?php

if(isset($_SESSION['PROF_LAST']))
{
    include 'includes/dbh.inc.php';

$sql = "SELECT * FROM student WHERE PROF_LNAME = 'PROF_LAST'";
$result = mysqli_query($conn, $sql);
$resultCheck = mysqli_num_rows($result);

if ($resultCheck < 1)
{
    header("Location: ../Teacher.php?Error");
    exit();
}

else
{
    echo "<table>";

    while ($content = mysqli_fetch_array($result))
    {

        $ID = $content['STUDENT_ID'];
        $last = $content['STU_LNAME'];
        $first = $content['STU_FNAME'];
        echo "<p><tr><td>".<button onclick="showTest()"
            class="save">". "$last" . '</button>'. "</td></tr></p>';
        echo "<tr><td>".<div class="studentMain" id="mainBlock">Student ID: ' . "$ID
        ". "</td></tr>";
        echo "<tr><td>".<div class="studentMain" id="mainBlock">Last Name: ' . "$last

```

```

        ."</td></tr>";
        echo "<tr><td>".<div class="studentMain" id="mainBlock">First Name: ' . "$first
        ."</td></tr>";

    }

echo "</table>";

}

?>
</div>

<script>
</script>

</body>
</html>

```

StudentReports.php

```

<?php
    session_start();
?>
<?php
    if(!isset($_SESSION['ADMIN_ID']))
    {
        header("Location:LoginSelect.php");
        exit();
    }
?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href=".//CSS/Main.css"<?php echo time(); ?> "/>
    <script type="text/javascript" src=".//Javascript/TAjaxscript.js"></script>
    <script type="text/javascript" src=".//Javascript/month.js"></script>
    <script type="text/javascript" src=".//Javascript/add-remove.js"></script>
</head>
<body>
    <header>
        <TextHead>
            NNU Teacher's Assistants
        <?php
            if(isset($_SESSION['ADMIN_ID']))
            {

```

```

echo '<form action="includes/Destroy.php" method="POST">
<button type="submit" name="submit" class="LogoutButton">Logout</button>
</form>';

}

?>
</TextHead>
</header>
<div class="navBar">
<a href="Admin.php">Students</a>
<a href="AdminTeachList.php">Professors</a>
<a href="AdminPendingStudent.php">Pending Students</a>
<a href="AdminPendingTeach.php">Pending Professors</a>
<a href="AddStudentInfo.php">Add Student Information</a>
<a href="Reports.php">Reports</a>
</div>

<div class="pendingStudentList">
    Save Reports
</div>

<div class="dropDownMenus">
    <div class="adminDrop">
        <button onclick="admindrop()" class="adminDropBtn">Select Report Type</button>
        <div id="adminDrop" class="adminContent">
            <a href="ProfReports.php">Professor</a>
            <a href="StudentReports.php">Student</a>
        </div>
    </div>
</div>

```

Pending.php

```

<?php
    session_start();
?>
<?php
    if(!isset($_SESSION['PROF_LAST']))
    {
        header("Location:LoginSelect.php");
        exit();
    }
?>

```

```

<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href="CSS/Main.css">
    <script type="text/javascript" src="Javascript/TAjax.js"></script>
    <script type="text/javascript" src="Javascript/month.js"></script>
    <script type="text/javascript" src="Javascript/add-remove.js"></script>
</head>
<body>
    <header>
        <TextHead>
            NNU Teacher's Assistants
            <?php
                if(isset($_SESSION['PROF_LAST']))
                {
                    echo '<form action="includes/Destroy.php" method="POST">
                        <button type="submit" name="submit" class="LogoutButton">Logout</button>
                    </form>';
                }
            ?>
        </TextHead>
    </header>
    <div class="navBar">
        <a href="Teacher.php">Students</a>
        <a href="Pending.php">Pending Students</a>

    </div>
    <div class="pendingStudentList">
        Pending Students
        <?php

if(isset($_SESSION['PROF_LNAME']))
{
    include 'includes/dbh.inc.php';

    $sql = "SELECT * FROM student WHERE REGISTER_PROF = '0'";
    $result = mysqli_query($conn, $sql);
    $resultCheck = mysqli_num_rows($result);

    if (empty($resultCheck))
    {

```

```

echo "<br><br><br><tr><td>No Pending Students</td></tr></br></br></br>";
exit();
}

else
{
echo "<tr><td>". "<table>". "</td></tr>";

while ($content = mysqli_fetch_array($result))
{

    $ID = $content['STUDENT_ID'];
    $last = $content['STU_LNAME'];
    $first = $content['STU_FNAME'];
    echo "<p><tr><td>". '<form action="includes/Confirm.php" method="POST">
<button onclick="showNames()" class="save">' . "$last" . '</button>'. "</td></tr></p>'";
    echo "<tr><td>". '<div class="studentMain" id="mainBlock">Student ID: ' . "$ID " .
        "<tr><td>". '<div class="studentMain" id="mainBlock">Last Name: ' . "$last " .
        "<tr><td>". '<div class="studentMain" id="mainBlock">First Name: ' . "$first " .
        "<tr><td>". '<div class="studentMain" id="mainBlock"><button type="submit"
name="submit" class="SaveButton"> Confirm</button>'. '</form>'. "</td></tr>'";
}
echo "</table>";

}
}

else
{
header("Location:Pending.php?ERROR");
exit();
}

?>

</div>
<script>
</script>
</body>
</html>

```

Student Pages

Fall.php

```
<?php
    session_start();
?>
<?php
    if(!isset($_SESSION['STU_ID']))
    {
        header("Location:LoginSelect.php");
        exit();
    }
?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href=".//CSS/Main.css">
    <script type="text/javascript" src=".//Javascript/TAjscript.js"></script>
    <script type="text/javascript" src=".//Javascript/month.js"></script>
    <script type="text/javascript" src=".//Javascript/add-remove.js"></script>
</head>
<body>
    <header>
        <TextHead>
            NNU Teacher's Assistants
            <?php
                if(isset($_SESSION['STU_ID']))
                {
                    echo '<form action="includes/Destroy.php" method="POST">
                        <button type="submit" name="submit" class="LogoutButton">Logout</button>
                    </form>';
                }
            <?php
        </TextHead>
    </header>
    <Content>
        <?php
            if(isset($_SESSION['STU_ID']))
            {
                echo '<div id="content">
                    <h1>Welcome, ' . $_SESSION['STU_NAME'] . '</h1>
                    <p>You are logged in as student ID: ' . $_SESSION['STU_ID'] . '</p>
                    <ul>
                        <li>View Courses</li>
                        <li>View Grades</li>
                        <li>Logout</li>
                    </ul>
                </div>';
            }
        <?php
    </Content>
</body>
```

```

    ?>
</TextHead>
</header>
<div class="navBar">
<a href="StudentMonthSelect.php">Time Sheets</a>

</div>
<div class="dropDownMenus">
<div class="semDrop">
<button onclick="sem()" class="semDropBtn">Select Semester</button>
<div id="semDropdown" class="semContent">
<a href="Spring.php">Spring</a>
<a href="Summer.php">Summer</a>
<a href="Fall.php">Fall</a>
</div>
</div>
<div class="month3Drop">
<button onclick="month3()" class="month3DropBtn">Select Month</button>
<div id="month3Dropdown" class="month3Content">
<a href="September.php">September</a>
<a href="October.php">October</a>
<a href="November.php">November</a>
<a href="December.php">December</a>
</div>
</div>
</div>
<script>

</script>
</body>
</html>

```

Summer.php

```

<?php
    session_start();
?>
<?php
    if(!isset($_SESSION['STU_ID']))
    {

```

```

        header("Location:LoginSelect.php");
        exit();
    }

    ?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href="./CSS/Main.css" href="Javascript/TAjscript.js">
    <script type="text/javascript" src="./Javascript/TAjscript.js"></script>
    <script type="text/javascript" src="./Javascript/month.js"></script>
    <script type="text/javascript" src="./Javascript/add-remove.js"></script>

</head>
<body>
    <header>
        <TextHead>
            NNU Teacher's Assistants
            <?php
                if(isset($_SESSION['STU_ID']))
                {
                    echo '<form action="includes/Destroy.php" method="POST">
                        <button type="submit" name="submit" class="LogoutButton">Logout</button>
                    </form>';
                }
            <?>
        </TextHead>
    </header>
    <div class="navBar">
        <a href="StudentMonthSelect.php">Time Sheets</a>

    </div>
    <div class="dropDownMenus">
        <div class="semDrop">
            <button onclick="sem()" class="semDropBtn">Select Semester</button>
            <div id="semDropdown" class="semContent">
                <a href="Spring.php">Spring</a>
                <a href="Summer.php">Summer</a>
                <a href="Fall.php">Fall</a>
            </div>
        </div>
    </div>
    <div class="month2Drop">

```

```
<button onclick="month2()" class="month2DropBtn">Select Month</button>
<div id="month2Dropdown" class="month2Content">
    <a href="MaySummer.php">May</a>
    <a href="June.php">June</a>
    <a href="July.php">July</a>
    <a href="August.php">August</a>
</div>
</div>
</div>
<script>
```

```
</script>
```

```
</body>
</html>
```

Spring.php

```
<?php
    session_start();
?>
<?php
if(!isset($_SESSION['STU_ID']))
{
    header("Location:LoginSelect.php");
    exit();
}

?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href=".//CSS/Main.css">
    <script type="text/javascript" src=".//Javascript/TAjscript.js"></script>
    <script type="text/javascript" src=".//Javascript/month.js"></script>
    <script type="text/javascript" src=".//Javascript/add-remove.js"></script>
</head>
<body>

<header>
    <TextHead>
        NNU Teacher's Assistants
    <?php
```

```

if(isset($_SESSION['STU_ID']))
{
    echo '<form action="includes/Destroy.php" method="POST">
        <button type="submit" name="submit" class="LogoutButton">Logout</button>
    </form>';
}

?>

</TextHead>
</header>
<div class="navBar">
    <a href="StudentMonthSelect.php">Time Sheets</a>

</div>
<div class="dropDownMenus">
    <div class="semDrop">
        <button onclick="sem()" class="semDropBtn">Select Semester</button>
        <div id="semDropdown" class="semContent">
            <a href="Spring.php">Spring</a>
            <a href="Summer.php">Summer</a>
            <a href="Fall.php">Fall</a>
        </div>
    </div>
    <div class="month1Drop">
        <button onclick="month1()" class="month1DropBtn">Select Month</button>
        <div id="month1Dropdown" class="month1Content">
            <a href="January.php">January</a>
            <a href="February.php">February</a>
            <a href="March.php">March</a>
            <a href="April.php">April</a>
            <a href="May.php">May</a>
        </div>
    </div>
</div>

<script>

```

```

</script>

</body>
</html>

StudentMontSelect.php

<?php
    session_start();

?>
<?php
    if(!isset($_SESSION['STU_ID']))
    {
        header("Location:LoginSelect.php");
        exit();
    }
?>

<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href=".//CSS/Main.css">
    <script type="text/javascript" src=".//Javascript/TAjscript.js"></script>
    <script type="text/javascript" src=".//Javascript/month.js"></script>
    <script type="text/javascript" src=".//Javascript/add-remove.js"></script>
</head>
<body>
    <header>
        <TextHead>
            NNU Teacher's Assistants

        <?php
            if(isset($_SESSION['STU_ID']))
            {
                echo '<form action="includes/Destroy.php" method="POST">
                    <button type="submit" name="submit" class="LogoutButton">Logout</button>
                </form>';
            }
        ?>
        </TextHead>
    </header>

```

```

<div class="navBar">
    <a href="StudentMonthSelect.php">Time Sheets</a>
</div>
<div class="dropDownMenus">
    <div class="semDrop">
        <button onclick="sem()" class="semDropBtn">Select Semester</button>
        <div id="semDropdown" class="semContent">
            <a href="Spring.php">Spring</a>
            <a href="Summer.php">Summer</a>
            <a href="Fall.php">Fall</a>
        </div>
    </div>
</div>
</body>

<script>

```

January.php

```

<?php
    session_start();
?>
<?php
if(!isset($_SESSION['STU_ID']))
{
    header("Location:LoginSelect.php");
    exit();
}

?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href=".//CSS/Main.css">
    <script type="text/javascript" src=".//Javascript/TAjscript.js"></script>
    <script type="text/javascript" src=".//Javascript/month.js"></script>
    <script type="text/javascript" src=".//Javascript/add-remove.js"></script>

</head>
<body>
    <header>
        <TextHead>
            NNU Teacher's Assistants
        <?php

```

```

if(isset($_SESSION['STU_ID']))
{
    echo '<form action="includes/Destroy.php" method="POST">
        <button type="submit" name="submit" class="LogoutButton">Logout</button>
    </form>';
}
?>
</TextHead>
</header>
<div class="navBar">
    <a href="StudentMonthSelect.php">Time Sheets</a>

</div>
<div class="dropDownMenus">
    <div class="semDrop">
        <button onclick="sem()" class="semDropBtn">Select Semester</button>
        <div id="semDropdown" class="semContent">
            <a href="Spring.php">Spring</a>
            <a href="Summer.php">Summer</a>
            <a href="Fall.php">Fall</a>
        </div>
    </div>
    <div class="month1Drop">
        <button onclick="month1()" class="month1DropBtn">Select Month</button>
        <div id="month1Dropdown" class="month1Content">
            <a href="January.php">January</a>
            <a href="February.php">February</a>
            <a href="March.php">March</a>
            <a href="April.php">April</a>
            <a href="May.php">May</a>
        </div>
    </div>
</div>
<div class="timeSheetMain">
    <h7>January Time sheet</h7>
    <div class="janTimeWk1">
        <input type="date"/>
        <input type="time"/>
        <input type="time"/>
        <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
        <input type="text" placeholder="Tasks (Example: Grading)"/>
        <button onclick="addRow()" class="addLine">Add Row</button>
        <button onclick="removeRow()" class="addLine">Delete Row</button>
    <div class="test" id="test1">

```

```

<input type="date"/>
<input type="time">
<input type="time">
<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
<input type="text" placeholder="Tasks (Example: Grading)">
<button onclick="addRow1()" class="addLine">Add Row</button>
<button onclick="removeRow1()" class="addLine">Delete Row</button>
</div>
<div class="row3" id="row3">
<input type="date"/>
<input type="time"/>
<input type="time"/>
<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
<input type="text" placeholder="Tasks (Example: Grading)">
<button onclick="addRow3()" class="addLine">Add Row</button>
<button onclick="removeRow3()" class="addLine">Delete Row</button>
</div>
<div class="row4" id="row4">
<input type="date"/>
<input type="time">
<input type="time">
<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
<input type="text" placeholder="Tasks (Example: Grading)">
<button onclick="addRow4()" class="addLine">Add Row</button>
<button onclick="removeRow4()" class="addLine">Delete Row</button>
</div>
<div class="row5" id="row5">
<input type="date"/>
<input type="time">
<input type="time">
<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
<input type="text" placeholder="Tasks (Example: Grading)">
<button onclick="addRow5()" class="addLine">Add Row</button>
<button onclick="removeRow5()" class="addLine">Delete Row</button>
</div>
<div class="row6" id="row6">
<input type="date"/>
<input type="time">
<input type="time">
<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
<input type="text" placeholder="Tasks (Example: Grading)">

```

```

<button onclick="addRow6()" class="addLine">Add Row</button>
<button onclick="removeRow6()" class="addLine">Delete Row</button>
</div>
<div class="row7" id="row7">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow7()" class="addLine">Add Row</button>
    <button onclick="removeRow7()" class="addLine">Delete Row</button>
</div>
<div class="row8" id="row8">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow8()" class="addLine">Add Row</button>
    <button onclick="removeRow8()" class="addLine">Delete Row</button>
</div>
<div class="row9" id="row9">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow9()" class="addLine">Add Row</button>
    <button onclick="removeRow9()" class="addLine">Delete Row</button>
</div>
<div class="row10" id="row10">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow10()" class="addLine">Add Row</button>
    <button onclick="removeRow10()" class="addLine">Delete Row</button>
</div>
</div>
<div class="janTimeWk1" id="janTime">
</div>

```

```

<div class="saveButton">
    <form action="includes/timeSheetJan.php" method="POST">
        <input type="text" name="stuId" id="stuId" placeholder="ID Number"/>
        <input type="text" name="stuSign" id="stuSign" placeholder="Signature"/>
        <input type="date" name="stuDate" id="stuDate" placeholder="Date"/>
        <input type="text" name="monthTotal" id="monthTotal" placeholder="Total Hours"/>
        <button type="submit" name="submit" class="save">Save</button>
    </form>
</div>
</div>
<script>

</script>
</body>
</html>

```

February.php

```

<?php
    session_start();
?>
<?php
    if(!isset($_SESSION['STU_ID']))
    {
        header("Location:LoginSelect.php");
        exit();
    }
?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href="./CSS/Main.css">
    <script type="text/javascript" src="./Javascript/TAjaxscript.js"></script>
    <script type="text/javascript" src="./Javascript/month.js"></script>
    <script type="text/javascript" src="./Javascript/add-remove.js"></script>
</head>
<body>
    <header>
        <TextHead>
            NNU Teacher's Assistants

```

```

<?php
if(isset($_SESSION['STU_ID']))
{
    echo '<form action="includes/Destroy.php" method="POST">
        <button type="submit" name="submit" class="LogoutButton">Logout</button>
    </form>';
}

?>
</TextHead>
</header>
<div class="navBar">
    <a href="StudentMonthSelect.php">Time Sheets</a>

</div>
<div class="dropDownMenus">
    <div class="semDrop">
        <button onclick="sem()" class="semDropBtn">Select Semester</button>
        <div id="semDropdown" class="semContent">
            <a href="Spring.php">Spring</a>
            <a href="Summer.php">Summer</a>
            <a href="Fall.php">Fall</a>
        </div>
    </div>
    <div class="month1Drop">
        <button onclick="month1()" class="month1DropBtn">Select Month</button>
        <div id="month1Dropdown" class="month1Content">
            <a href="January.php">January</a>
            <a href="February.php">February</a>
            <a href="March.php">March</a>
            <a href="April.php">April</a>
            <a href="May.php">May</a>
        </div>
    </div>
</div>
<div class="timeSheetMain">
    <h7>February Time sheet</h7>
    <div class="janTimeWk1">
        <input type="date"/>
        <input type="time"/>
        <input type="time"/>
        <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
        <input type="text" placeholder="Tasks (Example: Grading)"/>

```

```

<button onclick="addRow()" class="addLine">Add Row</button>
<button onclick="removeRow()" class="addLine">Delete Row</button>
<div class="test" id="test1">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow1()" class="addLine">Add Row</button>
    <button onclick="removeRow1()" class="addLine">Delete Row</button>
</div>
<div class="row3" id="row3">
    <input type="date"/>
    <input type="time"/>
    <input type="time"/>
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow3()" class="addLine">Add Row</button>
    <button onclick="removeRow3()" class="addLine">Delete Row</button>
</div>
<div class="row4" id="row4">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow4()" class="addLine">Add Row</button>
    <button onclick="removeRow4()" class="addLine">Delete Row</button>
</div>
<div class="row5" id="row5">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow5()" class="addLine">Add Row</button>
    <button onclick="removeRow5()" class="addLine">Delete Row</button>
</div>
<div class="row6" id="row6">
    <input type="date"/>
    <input type="time">
    <input type="time">

```

```

<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow6()" class="addLine">Add Row</button>
    <button onclick="removeRow6()" class="addLine">Delete Row</button>
</div>
<div class="row7" id="row7">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
        <input type="text" placeholder="Tasks (Example: Grading)">
        <button onclick="addRow7()" class="addLine">Add Row</button>
        <button onclick="removeRow7()" class="addLine">Delete Row</button>
</div>
<div class="row8" id="row8">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
        <input type="text" placeholder="Tasks (Example: Grading)">
        <button onclick="addRow8()" class="addLine">Add Row</button>
        <button onclick="removeRow8()" class="addLine">Delete Row</button>
</div>
<div class="row9" id="row9">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
        <input type="text" placeholder="Tasks (Example: Grading)">
        <button onclick="addRow9()" class="addLine">Add Row</button>
        <button onclick="removeRow9()" class="addLine">Delete Row</button>
</div>
<div class="row10" id="row10">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
        <input type="text" placeholder="Tasks (Example: Grading)">
        <button onclick="addRow10()" class="addLine">Add Row</button>
        <button onclick="removeRow10()" class="addLine">Delete Row</button>
</div>

```

```

</div>
<div class="janTimeWk1" id="janTime">
</div>
<div class="saveButton">
<form action="includes/timeSheetFeb.php" method="POST">
<input type="text" name="stuId" id="stuId" placeholder="ID Number"/>
<input type="text" name="stuSign" id="stuSign" placeholder="Signature"/>
<input type="date" name="stuDate" id="stuDate" placeholder="Date"/>
<input type="text" name="monthTotal" id="monthTotal" placeholder="Total Hours"/>
<button type="submit" name="submit" class="save">Save</button>
</form>
</div>
</div>
<script>

</script>

</body>
</html>

```

March.php

```

<?php
    session_start();
?>
<?php
    if(!isset($_SESSION['STU_ID']))
    {
        header("Location:LoginSelect.php");
        exit();
    }
?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href=".//CSS/Main.css">
    <script type="text/javascript" src=".//Javascript/TAjscript.js"></script>
    <script type="text/javascript" src=".//Javascript/month.js"></script>
    <script type="text/javascript" src=".//Javascript/add-remove.js"></script>
</head>
<body>
    <header>
        <TextHead>
            NNU Teacher's Assistants
            <?php

```

```

if(isset($_SESSION['STU_ID']))
{
    echo '<form action="includes/Destroy.php" method="POST">
        <button type="submit" name="submit" class="LogoutButton">Logout</button>
    </form>';
}

?>
</TextHead>
</header>
<div class="navBar">
    <a href="StudentMonthSelect.php">Time Sheets</a>

</div>
<div class="dropDownMenus">
    <div class="semDrop">
        <button onclick="sem()" class="semDropBtn">Select Semester</button>
        <div id="semDropdown" class="semContent">
            <a href="Spring.php">Spring</a>
            <a href="Summer.php">Summer</a>
            <a href="Fall.php">Fall</a>
        </div>
    </div>
    <div class="month1Drop">
        <button onclick="month1()" class="month1DropBtn">Select Month</button>
        <div id="month1Dropdown" class="month1Content">
            <a href="January.php">January</a>
            <a href="February.php">February</a>
            <a href="March.php">March</a>
            <a href="April.php">April</a>
            <a href="May.php">May</a>
        </div>
    </div>
</div>
<div class="timeSheetMain">
    <h7>March Time sheet</h7>
    <div class="janTimeWk1">
        <input type="date"/>
        <input type="time"/>
        <input type="time"/>
        <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
        <input type="text" placeholder="Tasks (Example: Grading)"/>

```

```

<button onclick="addRow()" class="addLine">Add Row</button>
<button onclick="removeRow()" class="addLine">Delete Row</button>
<div class="test" id="test1">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow1()" class="addLine">Add Row</button>
    <button onclick="removeRow1()" class="addLine">Delete Row</button>
</div>
<div class="row3" id="row3">
    <input type="date"/>
    <input type="time"/>
    <input type="time"/>
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow3()" class="addLine">Add Row</button>
    <button onclick="removeRow3()" class="addLine">Delete Row</button>
</div>
<div class="row4" id="row4">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow4()" class="addLine">Add Row</button>
    <button onclick="removeRow4()" class="addLine">Delete Row</button>
</div>
<div class="row5" id="row5">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow5()" class="addLine">Add Row</button>
    <button onclick="removeRow5()" class="addLine">Delete Row</button>
</div>
<div class="row6" id="row6">
    <input type="date"/>
    <input type="time">
    <input type="time">

```

```

<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow6()" class="addLine">Add Row</button>
    <button onclick="removeRow6()" class="addLine">Delete Row</button>
</div>
<div class="row7" id="row7">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
        <input type="text" placeholder="Tasks (Example: Grading)">
        <button onclick="addRow7()" class="addLine">Add Row</button>
        <button onclick="removeRow7()" class="addLine">Delete Row</button>
</div>
<div class="row8" id="row8">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
        <input type="text" placeholder="Tasks (Example: Grading)">
        <button onclick="addRow8()" class="addLine">Add Row</button>
        <button onclick="removeRow8()" class="addLine">Delete Row</button>
</div>
<div class="row9" id="row9">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
        <input type="text" placeholder="Tasks (Example: Grading)">
        <button onclick="addRow9()" class="addLine">Add Row</button>
        <button onclick="removeRow9()" class="addLine">Delete Row</button>
</div>
<div class="row10" id="row10">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
        <input type="text" placeholder="Tasks (Example: Grading)">
        <button onclick="addRow10()" class="addLine">Add Row</button>
        <button onclick="removeRow10()" class="addLine">Delete Row</button>
</div>

```

```

</div>
<div class="janTimeWk1" id="janTime">
</div>
<div class="saveButton">
<form action="includes/timeSheetMar.php" method="POST">
<input type="text" name="stuId" id="stuId" placeholder="ID Number"/>
<input type="text" name="stuSign" id="stuSign" placeholder="Signature"/>
<input type="date" name="stuDate" id="stuDate" placeholder="Date"/>
<input type="text" name="monthTotal" id="monthTotal" placeholder="Total Hours"/>
<button type="submit" name="submit" class="save">Save</button>
</form>
</div>
</div>

</body>
</html>

```

April.php

```

<?php
    session_start();
?>
<?php
    if(!isset($_SESSION['STU_ID']))
    {
        header("Location:LoginSelect.php");
        exit();
    }
?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href=".//CSS/Main.css">
    <script type="text/javascript" src=".//Javascript/TAjscript.js"></script>
    <script type="text/javascript" src=".//Javascript/month.js"></script>
    <script type="text/javascript" src=".//Javascript/add-remove.js"></script>
</head>
<body>
    <header>
        <TextHead>
            NNU Teacher's Assistants
        <?php
            if(isset($_SESSION['STU_ID']))
            {
                echo '<form action="includes/Destroy.php" method="POST">'>

```

```

        <button type="submit" name="submit" class="LogoutButton">Logout</button>
    </form>';
}

?>
</TextHead>
</header>
<div class="navBar">
    <a href="StudentMonthSelect.php">Time Sheets</a>

</div>
<div class="dropDownMenus">
    <div class="semDrop">
        <button onclick="sem()" class="semDropBtn">Select Semester</button>
        <div id="semDropdown" class="semContent">
            <a href="Spring.php">Spring</a>
            <a href="Summer.php">Summer</a>
            <a href="Fall.php">Fall</a>
        </div>
    </div>
    <div class="month1Drop">
        <button onclick="month1()" class="month1DropBtn">Select Month</button>
        <div id="month1Dropdown" class="month1Content">
            <a href="January.php">January</a>
            <a href="February.php">February</a>
            <a href="March.php">March</a>
            <a href="April.php">April</a>
            <a href="May.php">May</a>
        </div>
    </div>
</div>
<div class="timeSheetMain">
    <h7>April Time sheet</h7>
    <div class="janTimeWk1">
        <input type="date"/>
        <input type="time"/>
        <input type="time"/>
        <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
        <input type="text" placeholder="Tasks (Example: Grading)"/>
        <button onclick="addRow()" class="addLine">Add Row</button>
        <button onclick="removeRow()" class="addLine">Delete Row</button>
    <div class="test" id="test1">

```

```

<input type="date"/>
<input type="time">
<input type="time">
<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
<input type="text" placeholder="Tasks (Example: Grading)">
<button onclick="addRow1()" class="addLine">Add Row</button>
<button onclick="removeRow1()" class="addLine">Delete Row</button>
</div>
<div class="row3" id="row3">
<input type="date"/>
<input type="time"/>
<input type="time"/>
<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
<input type="text" placeholder="Tasks (Example: Grading)">
<button onclick="addRow3()" class="addLine">Add Row</button>
<button onclick="removeRow3()" class="addLine">Delete Row</button>
</div>
<div class="row4" id="row4">
<input type="date"/>
<input type="time">
<input type="time">
<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
<input type="text" placeholder="Tasks (Example: Grading)">
<button onclick="addRow4()" class="addLine">Add Row</button>
<button onclick="removeRow4()" class="addLine">Delete Row</button>
</div>
<div class="row5" id="row5">
<input type="date"/>
<input type="time">
<input type="time">
<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
<input type="text" placeholder="Tasks (Example: Grading)">
<button onclick="addRow5()" class="addLine">Add Row</button>
<button onclick="removeRow5()" class="addLine">Delete Row</button>
</div>
<div class="row6" id="row6">
<input type="date"/>
<input type="time">
<input type="time">
<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
<input type="text" placeholder="Tasks (Example: Grading)">

```

```

<button onclick="addRow6()" class="addLine">Add Row</button>
<button onclick="removeRow6()" class="addLine">Delete Row</button>
</div>
<div class="row7" id="row7">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow7()" class="addLine">Add Row</button>
    <button onclick="removeRow7()" class="addLine">Delete Row</button>
</div>
<div class="row8" id="row8">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow8()" class="addLine">Add Row</button>
    <button onclick="removeRow8()" class="addLine">Delete Row</button>
</div>
<div class="row9" id="row9">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow9()" class="addLine">Add Row</button>
    <button onclick="removeRow9()" class="addLine">Delete Row</button>
</div>
<div class="row10" id="row10">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow10()" class="addLine">Add Row</button>
    <button onclick="removeRow10()" class="addLine">Delete Row</button>
</div>
</div>
<div class="janTimeWk1" id="janTime">
</div>

```

```

<div class="saveButton">
    <form action="includes/timeSheetApr.php" method="POST">
        <input type="text" name="stuId" id="stuId" placeholder="ID Number"/>
        <input type="text" name="stuSign" id="stuSign" placeholder="Signature"/>
        <input type="date" name="stuDate" id="stuDate" placeholder="Date"/>
        <input type="text" name="monthTotal" id="monthTotal" placeholder="Total Hours"/>
        <button type="submit" name="submit" class="save">Save</button>
    </form>
</div>
</div>

</body>
</html>

```

May.php

```

<?php
    session_start();
?>
<?php
    if(!isset($_SESSION['STU_ID']))
    {
        header("Location:LoginSelect.php");
        exit();
    }
?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href=".//CSS/Main.css">
    <script type="text/javascript" src=".//Javascript/TAjscript.js"></script>
    <script type="text/javascript" src=".//Javascript/month.js"></script>
    <script type="text/javascript" src=".//Javascript/add-remove.js"></script>
</head>
<body>
    <header>
        <TextHead>
            NNU Teacher's Assistants
        <?php
            if(isset($_SESSION['STU_ID']))
            {
                echo '<form action="includes/Destroy.php" method="POST">
                    <button type="submit" name="submit" class="LogoutButton">Logout</button>
                </form>';
            }
        <?php
    </TextHead>
</body>

```

```

        }
    ?>
</TextHead>
</header>
<div class="navBar">
    <a href="StudentMonthSelect.php">Time Sheets</a>

</div>
<div class="dropDownMenus">
    <div class="semDrop">
        <button onclick="sem()" class="semDropBtn">Select Semester</button>
        <div id="semDropdown" class="semContent">
            <a href="Spring.php">Spring</a>
            <a href="Summer.php">Summer</a>
            <a href="Fall.php">Fall</a>
        </div>
    </div>
    <div class="month1Drop">
        <button onclick="month1()" class="month1DropBtn">Select Month</button>
        <div id="month1Dropdown" class="month1Content">
            <a href="January.php">January</a>
            <a href="February.php">February</a>
            <a href="March.php">March</a>
            <a href="April.php">April</a>
            <a href="May.php">May</a>
        </div>
    </div>
</div>
<div class="timeSheetMain">
    <h7>May Time sheet</h7>
    <div class="janTimeWk1">
        <input type="date"/>
        <input type="time"/>
        <input type="time"/>
        <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
        <input type="text" placeholder="Tasks (Example: Grading)" />
        <button onclick="addRow()" class="addLine">Add Row</button>
        <button onclick="removeRow()" class="addLine">Delete Row</button>
    <div class="test" id="test1">
        <input type="date"/>
        <input type="time"/>
        <input type="time"/>

```

```

<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow1()" class="addLine">Add Row</button>
    <button onclick="removeRow1()" class="addLine">Delete Row</button>
</div>
<div class="row3" id="row3">
    <input type="date"/>
    <input type="time"/>
    <input type="time"/>
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
        <input type="text" placeholder="Tasks (Example: Grading)">
        <button onclick="addRow3()" class="addLine">Add Row</button>
        <button onclick="removeRow3()" class="addLine">Delete Row</button>
</div>
<div class="row4" id="row4">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
        <input type="text" placeholder="Tasks (Example: Grading)">
        <button onclick="addRow4()" class="addLine">Add Row</button>
        <button onclick="removeRow4()" class="addLine">Delete Row</button>
</div>
<div class="row5" id="row5">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
        <input type="text" placeholder="Tasks (Example: Grading)">
        <button onclick="addRow5()" class="addLine">Add Row</button>
        <button onclick="removeRow5()" class="addLine">Delete Row</button>
</div>
<div class="row6" id="row6">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
        <input type="text" placeholder="Tasks (Example: Grading)">
        <button onclick="addRow6()" class="addLine">Add Row</button>
        <button onclick="removeRow6()" class="addLine">Delete Row</button>
</div>

```

```

<div class="row7" id="row7">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow7()" class="addLine">Add Row</button>
    <button onclick="removeRow7()" class="addLine">Delete Row</button>
</div>
<div class="row8" id="row8">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow8()" class="addLine">Add Row</button>
    <button onclick="removeRow8()" class="addLine">Delete Row</button>
</div>
<div class="row9" id="row9">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow9()" class="addLine">Add Row</button>
    <button onclick="removeRow9()" class="addLine">Delete Row</button>
</div>
<div class="row10" id="row10">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow10()" class="addLine">Add Row</button>
    <button onclick="removeRow10()" class="addLine">Delete Row</button>
</div>
</div>
<div class="janTimeWk1" id="janTime">
</div>
<div class="saveButton">
    <form action="includes/timeSheetMay.php" method="POST">
        <input type="text" name="stuId" id="stuId" placeholder="ID Number"/>

```

```

<input type="text" name="stuSign" id="stuSign" placeholder="Signature"/>
<input type="date" name="stuDate" id="stuDate" placeholder="Date"/>
<input type="text" name="monthTotal" id="monthTotal" placeholder="Total Hours"/>
<button type="submit" name="submit" class="save">Save</button>
</form>
</div>
</div>
</body>
</html>

```

June.php

```

<?php
    session_start();
?>
<?php
if(!isset($_SESSION['STU_ID']))
{
    header("Location:LoginSelect.php");
    exit();
}

?>
<!DOCTYPE html>
<html>
<head>
<link type="text/css" rel="stylesheet" href=".//CSS/Main.css">
<script type="text/javascript" src=".//Javascript/TAjscript.js"></script>
<script type="text/javascript" src=".//Javascript/month.js"></script>
<script type="text/javascript" src=".//Javascript/add-remove.js"></script>
</head>
<body>
<header>
<TextHead>
    NNU Teacher's Assistants
    <?php
        if(isset($_SESSION['STU_ID']))
        {
            echo '<form action="includes/Destroy.php" method="POST">
                <button type="submit" name="submit" class="LogoutButton">Logout</button>
            </form>';
        }
    ?>
</TextHead>

```

```

</header>
<div class="navBar">
  <a href="StudentMonthSelect.php">Time Sheets</a>

</div>
<div class="dropDownMenus">
  <div class="semDrop">
    <button onclick="sem()" class="semDropBtn">Select Semester</button>
    <div id="semDropdown" class="semContent">
      <a href="Spring.php">Spring</a>
      <a href="Summer.php">Summer</a>
      <a href="Fall.php">Fall</a>
    </div>
  </div>
  <div class="month2Drop">
    <button onclick="month2()" class="month2DropBtn">Select Month</button>
    <div id="month2Dropdown" class="month2Content">
      <a href="June.php">June</a>
      <a href="July.php">July</a>
      <a href="August.php">August</a>
    </div>
  </div>
</div>
<div class="timeSheetMain">
  <h7>June Time sheet</h7>
  <div class="janTimeWk1">
    <input type="date"/>
    <input type="time"/>
    <input type="time"/>
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow()" class="addLine">Add Row</button>
    <button onclick="removeRow()" class="addLine">Delete Row</button>
  <div class="test" id="test1">
    <input type="date"/>
    <input type="time"/>
    <input type="time"/>
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow1()" class="addLine">Add Row</button>
    <button onclick="removeRow1()" class="addLine">Delete Row</button>
  </div>

```

```

<div class="row3" id="row3">
    <input type="date"/>
    <input type="time"/>
    <input type="time"/>
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow3()" class="addLine">Add Row</button>
    <button onclick="removeRow3()" class="addLine">Delete Row</button>
</div>
<div class="row4" id="row4">
    <input type="date"/>
    <input type="time"/>
    <input type="time"/>
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow4()" class="addLine">Add Row</button>
    <button onclick="removeRow4()" class="addLine">Delete Row</button>
</div>
<div class="row5" id="row5">
    <input type="date"/>
    <input type="time"/>
    <input type="time"/>
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow5()" class="addLine">Add Row</button>
    <button onclick="removeRow5()" class="addLine">Delete Row</button>
</div>
<div class="row6" id="row6">
    <input type="date"/>
    <input type="time"/>
    <input type="time"/>
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow6()" class="addLine">Add Row</button>
    <button onclick="removeRow6()" class="addLine">Delete Row</button>
</div>
<div class="row7" id="row7">
    <input type="date"/>
    <input type="time"/>
    <input type="time"/>
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />

```

```

<input type="text" placeholder="Tasks (Example: Grading)"/>
<button onclick="addRow7()" class="addLine">Add Row</button>
<button onclick="removeRow7()" class="addLine">Delete Row</button>
</div>
<div class="row8" id="row8">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
    <input type="text" placeholder="Tasks (Example: Grading)"/>
    <button onclick="addRow8()" class="addLine">Add Row</button>
    <button onclick="removeRow8()" class="addLine">Delete Row</button>
</div>
<div class="row9" id="row9">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
    <input type="text" placeholder="Tasks (Example: Grading)"/>
    <button onclick="addRow9()" class="addLine">Add Row</button>
    <button onclick="removeRow9()" class="addLine">Delete Row</button>
</div>
<div class="row10" id="row10">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
    <input type="text" placeholder="Tasks (Example: Grading)"/>
    <button onclick="addRow10()" class="addLine">Add Row</button>
    <button onclick="removeRow10()" class="addLine">Delete Row</button>
</div>
</div>
<div class="janTimeWk1" id="janTime">
</div>
<div class="saveButton">
    <form action="includes/timeSheetJune.php" method="POST">
        <input type="text" name="stuId" id="stuId" placeholder="ID Number"/>
        <input type="text" name="stuSign" id="stuSign" placeholder="Signature"/>
        <input type="date" name="stuDate" id="stuDate" placeholder="Date"/>
        <input type="text" name="monthTotal" id="monthTotal" placeholder="Total Hours"/>
        <button type="submit" name="submit" class="save">Save</button>
    </form>
</div>

```

```

</div>

</body>
</html>

July.php

<?php
    session_start();
?>
<?php
    if(!isset($_SESSION['STU_ID']))
    {
        header("Location:LoginSelect.php");
        exit();
    }
?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href="./CSS/Main.css">
    <script type="text/javascript" src="./Javascript/TAjscript.js"></script>
    <script type="text/javascript" src="./Javascript/month.js"></script>
    <script type="text/javascript" src="./Javascript/add-remove.js"></script>
</head>
<body>
<header>
    <TextHead>
        NNU Teacher's Assistants
        <?php
            if(isset($_SESSION['STU_ID']))
            {
                echo '<form action="includes/Destroy.php" method="POST">
                    <button type="submit" name="submit" class="LogoutButton">Logout</button>
                </form>';
            }
        ?>
        </TextHead>
    </header>
    <div class="navBar">
        <a href="StudentMonthSelect.php">Time Sheets</a>

```

```

</div>
<div class="dropDownMenus">
<div class="semDrop">
    <button onclick="sem()" class="semDropBtn">Select Semester</button>
    <div id="semDropdown" class="semContent">
        <a href="Spring.php">Spring</a>
        <a href="Summer.php">Summer</a>
        <a href="Fall.php">Fall</a>
    </div>
</div>
<div class="month2Drop">
    <button onclick="month2()" class="month2DropBtn">Select Month</button>
    <div id="month2Dropdown" class="month2Content">
        <a href="June.php">June</a>
        <a href="July.php">July</a>
        <a href="August.php">August</a>
    </div>
</div>
<div class="timeSheetMain">
    <h7>July Time sheet</h7>
    <div class="janTimeWk1">
        <input type="date"/>
        <input type="time"/>
        <input type="time"/>
        <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
        <input type="text" placeholder="Tasks (Example: Grading)"/>
        <button onclick="addRow()" class="addLine">Add Row</button>
        <button onclick="removeRow()" class="addLine">Delete Row</button>
    <div class="test" id="test1">
        <input type="date"/>
        <input type="time"/>
        <input type="time"/>
        <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
        <input type="text" placeholder="Tasks (Example: Grading)"/>
        <button onclick="addRow1()" class="addLine">Add Row</button>
        <button onclick="removeRow1()" class="addLine">Delete Row</button>
    </div>
    <div class="row3" id="row3">
        <input type="date"/>
        <input type="time"/>
        <input type="time"/>
    
```

```

<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow3()" class="addLine">Add Row</button>
    <button onclick="removeRow3()" class="addLine">Delete Row</button>
</div>
<div class="row4" id="row4">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
        <input type="text" placeholder="Tasks (Example: Grading)">
        <button onclick="addRow4()" class="addLine">Add Row</button>
        <button onclick="removeRow4()" class="addLine">Delete Row</button>
</div>
<div class="row5" id="row5">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
        <input type="text" placeholder="Tasks (Example: Grading)">
        <button onclick="addRow5()" class="addLine">Add Row</button>
        <button onclick="removeRow5()" class="addLine">Delete Row</button>
</div>
<div class="row6" id="row6">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
        <input type="text" placeholder="Tasks (Example: Grading)">
        <button onclick="addRow6()" class="addLine">Add Row</button>
        <button onclick="removeRow6()" class="addLine">Delete Row</button>
</div>
<div class="row7" id="row7">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
        <input type="text" placeholder="Tasks (Example: Grading)">
        <button onclick="addRow7()" class="addLine">Add Row</button>
        <button onclick="removeRow7()" class="addLine">Delete Row</button>
</div>

```

```

<div class="row8" id="row8">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow8()" class="addLine">Add Row</button>
    <button onclick="removeRow8()" class="addLine">Delete Row</button>
</div>
<div class="row9" id="row9">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow9()" class="addLine">Add Row</button>
    <button onclick="removeRow9()" class="addLine">Delete Row</button>
</div>
<div class="row10" id="row10">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow10()" class="addLine">Add Row</button>
    <button onclick="removeRow10()" class="addLine">Delete Row</button>
</div>
</div>
<div class="janTimeWk1" id="janTime">
</div>
<div class="saveButton">
    <form action="includes/timeSheetSJJul.php" method="POST">
        <input type="text" name="stuId" id="stuId" placeholder="ID Number"/>
        <input type="text" name="stuSign" id="stuSign" placeholder="Signature"/>
        <input type="date" name="stuDate" id="stuDate" placeholder="Date"/>
        <input type="text" name="monthTotal" id="monthTotal" placeholder="Total Hours"/>
        <button type="submit" name="submit" class="save">Save</button>
    </form>
</div>
</div>

</body>
</html>

```

August.php

```
<?php
    session_start();
?>
<?php
if(!isset($_SESSION['STU_ID']))
{
    header("Location:LoginSelect.php");
    exit();

}
?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href="./CSS/Main.css">
    <script type="text/javascript" src="./Javascript/TAjaxscript.js"></script>
    <script type="text/javascript" src="./Javascript/month.js"></script>
    <script type="text/javascript" src="./Javascript/add-remove.js"></script>

</head>
<body>
<header>
<TextHead>
    NNU Teacher's Assistants
    <?php
        if(isset($_SESSION['STU_ID']))
        {
            echo '<form action="includes/Destroy.php" method="POST">
                <button type="submit" name="submit" class="LogoutButton">Logout</button>
            </form>';
        }
    ?>
    </TextHead>
</header>
<div class="navBar">
    <a href="StudentMonthSelect.php">Time Sheets</a>

</div>
<div class="dropDownMenus">
```

```

<div class="semDrop">
    <button onclick="sem()" class="semDropBtn">Select Semester</button>
    <div id="semDropdown" class="semContent">
        <a href="Spring.php">Spring</a>
        <a href="Summer.php">Summer</a>
        <a href="Fall.php">Fall</a>
    </div>
</div>
<div class="month2Drop">
    <button onclick="month2()" class="month2DropBtn">Select Month</button>
    <div id="month2Dropdown" class="month2Content">
        <a href="June.php">June</a>
        <a href="July.php">July</a>
        <a href="August.php">August</a>
    </div>
</div>
</div>
<div class="timeSheetMain">
    <h7>August Time sheet</h7>
    <div class="janTimeWk1">
        <input type="date"/>
        <input type="time"/>
        <input type="time"/>
        <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
        <input type="text" placeholder="Tasks (Example: Grading)"/>
        <button onclick="addRow()" class="addLine">Add Row</button>
        <button onclick="removeRow()" class="addLine">Delete Row</button>
    <div class="test" id="test1">
        <input type="date"/>
        <input type="time">
        <input type="time">
        <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
        <input type="text" placeholder="Tasks (Example: Grading)"/>
        <button onclick="addRow1()" class="addLine">Add Row</button>
        <button onclick="removeRow1()" class="addLine">Delete Row</button>
    </div>
    <div class="row3" id="row3">
        <input type="date"/>
        <input type="time"/>
        <input type="time"/>
        <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
        <input type="text" placeholder="Tasks (Example: Grading)"/>
        <button onclick="addRow3()" class="addLine">Add Row</button>
    </div>

```

```

<button onclick="removeRow3()" class="addLine">Delete Row</button>
</div>
<div class="row4" id="row4">
  <input type="date"/>
  <input type="time">
  <input type="time">
  <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
  <input type="text" placeholder="Tasks (Example: Grading)">
  <button onclick="addRow4()" class="addLine">Add Row</button>
  <button onclick="removeRow4()" class="addLine">Delete Row</button>
</div>
<div class="row5" id="row5">
  <input type="date"/>
  <input type="time">
  <input type="time">
  <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
  <input type="text" placeholder="Tasks (Example: Grading)">
  <button onclick="addRow5()" class="addLine">Add Row</button>
  <button onclick="removeRow5()" class="addLine">Delete Row</button>
</div>
<div class="row6" id="row6">
  <input type="date"/>
  <input type="time">
  <input type="time">
  <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
  <input type="text" placeholder="Tasks (Example: Grading)">
  <button onclick="addRow6()" class="addLine">Add Row</button>
  <button onclick="removeRow6()" class="addLine">Delete Row</button>
</div>
<div class="row7" id="row7">
  <input type="date"/>
  <input type="time">
  <input type="time">
  <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
  <input type="text" placeholder="Tasks (Example: Grading)">
  <button onclick="addRow7()" class="addLine">Add Row</button>
  <button onclick="removeRow7()" class="addLine">Delete Row</button>
</div>
<div class="row8" id="row8">
  <input type="date"/>
  <input type="time">
  <input type="time">

```

```

<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow8()" class="addLine">Add Row</button>
    <button onclick="removeRow8()" class="addLine">Delete Row</button>
</div>
<div class="row9" id="row9">
    <input type="date" />
    <input type="time" />
    <input type="time" />
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow9()" class="addLine">Add Row</button>
    <button onclick="removeRow9()" class="addLine">Delete Row</button>
</div>
<div class="row10" id="row10">
    <input type="date" />
    <input type="time" />
    <input type="time" />
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow10()" class="addLine">Add Row</button>
    <button onclick="removeRow10()" class="addLine">Delete Row</button>
</div>
</div>
<div class="janTimeWk1" id="janTime">
</div>
<div class="saveButton">
    <form action="includes/timeSheetAug.php" method="POST">
        <input type="text" name="stuId" id="stuId" placeholder="ID Number" />
        <input type="text" name="stuSign" id="stuSign" placeholder="Signature" />
        <input type="date" name="stuDate" id="stuDate" placeholder="Date" />
        <input type="text" name="monthTotal" id="monthTotal" placeholder="Total Hours" />
        <button type="submit" name="submit" class="save">Save</button>
    </form>
</div>
</div>

</body>
</html>

September.php

<?php

```

```

session_start();
?>
<?php
    if(!isset($_SESSION['STU_ID']))
    {
        header("Location:LoginSelect.php");
        exit();
    }
?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href="./CSS/Main.css">
    <script type="text/javascript" src="./Javascript/TAjaxscript.js"></script>
    <script type="text/javascript" src="./Javascript/month.js"></script>
    <script type="text/javascript" src="./Javascript/add-remove.js"></script>
</head>
<body>
<header>
    <TextHead>
        NNU Teacher's Assistants
        <?php
            if(isset($_SESSION['STU_ID']))
            {
                echo '<form action="includes/Destroy.php" method="POST">
                    <button type="submit" name="submit" class="LogoutButton">Logout</button>
                </form>';
            }
        ?>
    </TextHead>
</header>
<div class="navBar">
    <a href="StudentMonthSelect.php">Time Sheets</a>

</div>
<div class="dropDownMenus">
    <div class="semDrop">
        <button onclick="sem()" class="semDropBtn">Select Semester</button>
        <div id="semDropdown" class="semContent">
            <a href="Spring.php">Spring</a>
            <a href="Summer.php">Summer</a>
    </div>
</div>

```

```

        <a href="Fall.php">Fall</a>
    </div>
</div>
<div class="month3Drop">
    <button onclick="month3()" class="month3DropBtn">Select Month</button>
    <div id="month3Dropdown" class="month3Content">
        <a href="September.php">September</a>
        <a href="October.php">October</a>
        <a href="November.php">November</a>
        <a href="December.php">December</a>
    </div>
</div>
</div>
<div class="timeSheetMain">
<h7>September Time sheet</h7>
<div class="janTimeWk1">
    <input type="date"/>
    <input type="time"/>
    <input type="time"/>
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
    <input type="text" placeholder="Tasks (Example: Grading)"/>
    <button onclick="addRow()" class="addLine">Add Row</button>
    <button onclick="removeRow()" class="addLine">Delete Row</button>
<div class="test" id="test1">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
    <input type="text" placeholder="Tasks (Example: Grading)"/>
    <button onclick="addRow1()" class="addLine">Add Row</button>
    <button onclick="removeRow1()" class="addLine">Delete Row</button>
</div>
<div class="row3" id="row3">
    <input type="date"/>
    <input type="time"/>
    <input type="time"/>
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
    <input type="text" placeholder="Tasks (Example: Grading)"/>
    <button onclick="addRow3()" class="addLine">Add Row</button>
    <button onclick="removeRow3()" class="addLine">Delete Row</button>
</div>
<div class="row4" id="row4">
    <input type="date"/>

```

```

<input type="time">
<input type="time">
<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
<input type="text" placeholder="Tasks (Example: Grading)">
<button onclick="addRow4()" class="addLine">Add Row</button>
<button onclick="removeRow4()" class="addLine">Delete Row</button>
</div>
<div class="row5" id="row5">
<input type="date"/>
<input type="time">
<input type="time">
<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
<input type="text" placeholder="Tasks (Example: Grading)">
<button onclick="addRow5()" class="addLine">Add Row</button>
<button onclick="removeRow5()" class="addLine">Delete Row</button>
</div>
<div class="row6" id="row6">
<input type="date"/>
<input type="time">
<input type="time">
<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
<input type="text" placeholder="Tasks (Example: Grading)">
<button onclick="addRow6()" class="addLine">Add Row</button>
<button onclick="removeRow6()" class="addLine">Delete Row</button>
</div>
<div class="row7" id="row7">
<input type="date"/>
<input type="time">
<input type="time">
<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
<input type="text" placeholder="Tasks (Example: Grading)">
<button onclick="addRow7()" class="addLine">Add Row</button>
<button onclick="removeRow7()" class="addLine">Delete Row</button>
</div>
<div class="row8" id="row8">
<input type="date"/>
<input type="time">
<input type="time">
<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
<input type="text" placeholder="Tasks (Example: Grading)">
<button onclick="addRow8()" class="addLine">Add Row</button>

```

```

<button onclick="removeRow8()" class="addLine">Delete Row</button>
</div>
<div class="row9" id="row9">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow9()" class="addLine">Add Row</button>
    <button onclick="removeRow9()" class="addLine">Delete Row</button>
</div>
<div class="row10" id="row10">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow10()" class="addLine">Add Row</button>
    <button onclick="removeRow10()" class="addLine">Delete Row</button>
</div>
</div>
<div class="janTimeWk1" id="janTime">
</div>
<div class="saveButton">
    <form action="includes/timeSheetSep.php" method="POST">
        <input type="text" name="stuId" id="stuId" placeholder="ID Number"/>
        <input type="text" name="stuSign" id="stuSign" placeholder="Signature"/>
        <input type="date" name="stuDate" id="stuDate" placeholder="Date"/>
        <input type="text" name="monthTotal" id="monthTotal" placeholder="Total Hours"/>
        <button type="submit" name="submit" class="save">Save</button>
    </form>
</div>
</div>
<script>

</script>

</body>
</html>

```

October.php

```

<?php
    session_start();
?>
<?php
if(!isset($_SESSION['STU_ID']))
{
    header("Location:LoginSelect.php");
    exit();
}

?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href="./CSS/Main.css">
    <script type="text/javascript" src="./Javascript/TAjaxscript.js"></script>
    <script type="text/javascript" src="./Javascript/month.js"></script>
    <script type="text/javascript" src="./Javascript/add-remove.js"></script>
</head>
<body>
<header>
    <TextHead>
        NNU Teacher's Assistants
        <?php
            if(isset($_SESSION['STU_ID']))
            {
                echo '<form action="includes/Destroy.php" method="POST">
                    <button type="submit" name="submit" class="LogoutButton">Logout</button>
                </form>';
            }
        <?
    </TextHead>
</header>
<div class="navBar">
    <a href="StudentMonthSelect.php">Time Sheets</a>

</div>
<div class="dropDownMenus">
    <div class="semDrop">
        <button onclick="sem()" class="semDropBtn">Select Semester</button>
        <div id="semDropdown" class="semContent">
            <a href="Spring.php">Spring</a>

```

```

<a href="Summer.php">Summer</a>
<a href="Fall.php">Fall</a>
</div>
</div>
<div class="month3Drop">
    <button onclick="month3()" class="month3DropBtn">Select Month</button>
    <div id="month3Dropdown" class="month3Content">
        <a href="September.php">September</a>
        <a href="October.php">October</a>
        <a href="November.php">November</a>
        <a href="December.php">December</a>
    </div>
</div>
</div>
<div class="timeSheetMain">
    <h7>October Time sheet</h7>
    <div class="janTimeWk1">
        <input type="date"/>
        <input type="time"/>
        <input type="time"/>
        <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
        <input type="text" placeholder="Tasks (Example: Grading)"/>
        <button onclick="addRow()" class="addLine">Add Row</button>
        <button onclick="removeRow()" class="addLine">Delete Row</button>
    <div class="test" id="test1">
        <input type="date"/>
        <input type="time"/>
        <input type="time"/>
        <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
        <input type="text" placeholder="Tasks (Example: Grading)"/>
        <button onclick="addRow1()" class="addLine">Add Row</button>
        <button onclick="removeRow1()" class="addLine">Delete Row</button>
    </div>
    <div class="row3" id="row3">
        <input type="date"/>
        <input type="time"/>
        <input type="time"/>
        <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
        <input type="text" placeholder="Tasks (Example: Grading)"/>
        <button onclick="addRow3()" class="addLine">Add Row</button>
        <button onclick="removeRow3()" class="addLine">Delete Row</button>
    </div>
    <div class="row4" id="row4">

```

```

<input type="date"/>
<input type="time">
<input type="time">
<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow4()" class="addLine">Add Row</button>
    <button onclick="removeRow4()" class="addLine">Delete Row</button>
</div>
<div class="row5" id="row5">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow5()" class="addLine">Add Row</button>
    <button onclick="removeRow5()" class="addLine">Delete Row</button>
</div>
<div class="row6" id="row6">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow6()" class="addLine">Add Row</button>
    <button onclick="removeRow6()" class="addLine">Delete Row</button>
</div>
<div class="row7" id="row7">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow7()" class="addLine">Add Row</button>
    <button onclick="removeRow7()" class="addLine">Delete Row</button>
</div>
<div class="row8" id="row8">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">

```

```

<button onclick="addRow8()" class="addLine">Add Row</button>
<button onclick="removeRow8()" class="addLine">Delete Row</button>
</div>
<div class="row9" id="row9">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow9()" class="addLine">Add Row</button>
    <button onclick="removeRow9()" class="addLine">Delete Row</button>
</div>
<div class="row10" id="row10">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow10()" class="addLine">Add Row</button>
    <button onclick="removeRow10()" class="addLine">Delete Row</button>
</div>
</div>
<div class="janTimeWk1" id="janTime">
</div>
<div class="saveButton">
    <form action="includes/timeSheetOct.php" method="POST">
        <input type="text" name="stuId" id="stuId" placeholder="ID Number"/>
        <input type="text" name="stuSign" id="stuSign" placeholder="Signature"/>
        <input type="date" name="stuDate" id="stuDate" placeholder="Date"/>
        <input type="text" name="monthTotal" id="monthTotal" placeholder="Total Hours"/>
        <button type="submit" name="submit" class="save">Save</button>
    </form>
</div>
</div>
<script>

</script>

</body>
</html>

```

November.php

```

<?php
    session_start();
?>
<?php
if(!isset($_SESSION['STU_ID']))
{
    header("Location:LoginSelect.php");
    exit();
}

?>
<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href="./CSS/Main.css">
    <script type="text/javascript" src="./Javascript/TAjaxscript.js"></script>
    <script type="text/javascript" src="./Javascript/month.js"></script>
    <script type="text/javascript" src="./Javascript/add-remove.js"></script>
</head>
<body>
<header>
    <TextHead>
        NNU Teacher's Assistants
        <?php
            if(isset($_SESSION['STU_ID']))
            {
                echo '<form action="includes/Destroy.php" method="POST">
                    <button type="submit" name="submit" class="LogoutButton">Logout</button>
                </form>';
            }
        ?>
    </TextHead>
</header>
<div class="navBar">
    <a href="StudentMonthSelect.php">Time Sheets</a>
    <a href="StudentInfo.php">Student Information</a>

</div>
<div class="dropDownMenus">
    <div class="semDrop">
        <button onclick="sem()" class="semDropBtn">Select Semester</button>
        <div id="semDropdown" class="semContent">
            <a href="Spring.php">Spring</a>

```

```

<a href="Summer.php">Summer</a>
<a href="Fall.php">Fall</a>
</div>
</div>
<div class="month3Drop">
    <button onclick="month3()" class="month3DropBtn">Select Month</button>
    <div id="month3Dropdown" class="month3Content">
        <a href="September.php">September</a>
        <a href="October.php">October</a>
        <a href="November.php">November</a>
        <a href="December.php">December</a>
    </div>
</div>
</div>
<div class="timeSheetMain">
    <h7>November Time sheet</h7>
    <div class="janTimeWk1">
        <input type="date"/>
        <input type="time"/>
        <input type="time"/>
        <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
        <input type="text" placeholder="Tasks (Example: Grading)"/>
        <button onclick="addRow()" class="addLine">Add Row</button>
        <button onclick="removeRow()" class="addLine">Delete Row</button>
    <div class="test" id="test1">
        <input type="date"/>
        <input type="time"/>
        <input type="time"/>
        <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
        <input type="text" placeholder="Tasks (Example: Grading)"/>
        <button onclick="addRow1()" class="addLine">Add Row</button>
        <button onclick="removeRow1()" class="addLine">Delete Row</button>
    </div>
    <div class="row3" id="row3">
        <input type="date"/>
        <input type="time"/>
        <input type="time"/>
        <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
        <input type="text" placeholder="Tasks (Example: Grading)"/>
        <button onclick="addRow3()" class="addLine">Add Row</button>
        <button onclick="removeRow3()" class="addLine">Delete Row</button>
    </div>
    <div class="row4" id="row4">

```

```

<input type="date"/>
<input type="time">
<input type="time">
<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow4()" class="addLine">Add Row</button>
    <button onclick="removeRow4()" class="addLine">Delete Row</button>
</div>
<div class="row5" id="row5">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow5()" class="addLine">Add Row</button>
    <button onclick="removeRow5()" class="addLine">Delete Row</button>
</div>
<div class="row6" id="row6">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow6()" class="addLine">Add Row</button>
    <button onclick="removeRow6()" class="addLine">Delete Row</button>
</div>
<div class="row7" id="row7">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow7()" class="addLine">Add Row</button>
    <button onclick="removeRow7()" class="addLine">Delete Row</button>
</div>
<div class="row8" id="row8">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">

```

```

<button onclick="addRow8()" class="addLine">Add Row</button>
<button onclick="removeRow8()" class="addLine">Delete Row</button>
</div>
<div class="row9" id="row9">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow9()" class="addLine">Add Row</button>
    <button onclick="removeRow9()" class="addLine">Delete Row</button>
</div>
<div class="row10" id="row10">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
    <input type="text" placeholder="Tasks (Example: Grading)" />
    <button onclick="addRow10()" class="addLine">Add Row</button>
    <button onclick="removeRow10()" class="addLine">Delete Row</button>
</div>
</div>
<div class="janTimeWk1" id="janTime">
</div>
<div class="saveButton">
    <form action="includes/timeSheetNov.php" method="POST">
        <input type="text" name="stuId" id="stuId" placeholder="ID Number"/>
        <input type="text" name="stuSign" id="stuSign" placeholder="Signature"/>
        <input type="date" name="stuDate" id="stuDate" placeholder="Date"/>
        <input type="text" name="monthTotal" id="monthTotal" placeholder="Total Hours"/>
        <button type="submit" name="submit" class="save">Save</button>
    </form>
</div>
</div>
<script>

</script>
</body>
</html>

```

December.php

```

<?php
    session_start();
?>
<?php
    if(!isset($_SESSION['STU_ID']))
    {
        header("Location:LoginSelect.php");
        exit();
    }
?>

<!DOCTYPE html>
<html>
<head>
    <link type="text/css" rel="stylesheet" href="./CSS/Main.css">
    <script type="text/javascript" src="./Javascript/TAjaxscript.js"></script>
    <script type="text/javascript" src="./Javascript/month.js"></script>
    <script type="text/javascript" src="./Javascript/add-remove.js"></script>
</head>
<body>
<header>
    <TextHead>
        NNU Teacher's Assistants
        <?php
            if(isset($_SESSION['STU_ID']))
            {
                echo '<form action="includes/Destroy.php" method="POST">
                    <button type="submit" name="submit" class="LogoutButton">Logout</button>
                </form>';
            }
        ?>
        </TextHead>
    </header>
    <div class="navBar">
        <a href="StudentMonthSelect.php">Time Sheets</a>
    </div>
    <div class="dropDownMenus">
        <div class="semDrop">
            <button onclick="sem()" class="semDropBtn">Select Semester</button>

```

```

<div id="semDropdown" class="semContent">
    <a href="Spring.php">Spring</a>
    <a href="Summer.php">Summer</a>
    <a href="Fall.php">Fall</a>
</div>
</div>
<div class="month3Drop">
    <button onclick="month3()" class="month3DropBtn">Select Month</button>
    <div id="month3Dropdown" class="month3Content">
        <a href="September.php">September</a>
        <a href="October.php">October</a>
        <a href="November.php">November</a>
        <a href="December.php">December</a>
    </div>
</div>
</div>
<div class="timeSheetMain">
    <h7>December Time sheet</h7>
    <div class="janTimeWk1">
        <input type="date"/>
        <input type="time"/>
        <input type="time"/>
        <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
        <input type="text" placeholder="Tasks (Example: Grading)" />
        <button onclick="addRow()" class="addLine">Add Row</button>
        <button onclick="removeRow()" class="addLine">Delete Row</button>
    <div class="test" id="test1">
        <input type="date"/>
        <input type="time"/>
        <input type="time"/>
        <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
        <input type="text" placeholder="Tasks (Example: Grading)" />
        <button onclick="addRow1()" class="addLine">Add Row</button>
        <button onclick="removeRow1()" class="addLine">Delete Row</button>
    </div>
    <div class="row3" id="row3">
        <input type="date"/>
        <input type="time"/>
        <input type="time"/>
        <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)" />
        <input type="text" placeholder="Tasks (Example: Grading)" />
        <button onclick="addRow3()" class="addLine">Add Row</button>
        <button onclick="removeRow3()" class="addLine">Delete Row</button>
    </div>

```

```

</div>
<div class="row4" id="row4">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow4()" class="addLine">Add Row</button>
    <button onclick="removeRow4()" class="addLine">Delete Row</button>
</div>
<div class="row5" id="row5">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow5()" class="addLine">Add Row</button>
    <button onclick="removeRow5()" class="addLine">Delete Row</button>
</div>
<div class="row6" id="row6">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow6()" class="addLine">Add Row</button>
    <button onclick="removeRow6()" class="addLine">Delete Row</button>
</div>
<div class="row7" id="row7">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)">
    <input type="text" placeholder="Tasks (Example: Grading)">
    <button onclick="addRow7()" class="addLine">Add Row</button>
    <button onclick="removeRow7()" class="addLine">Delete Row</button>
</div>
<div class="row8" id="row8">
    <input type="date"/>
    <input type="time">
    <input type="time">
    <input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours

```

```

(Example: 5)"/>
<input type="text" placeholder="Tasks (Example: Grading)"/>
<button onclick="addRow8()" class="addLine">Add Row</button>
<button onclick="removeRow8()" class="addLine">Delete Row</button>
</div>
<div class="row9" id="row9">
<input type="date"/>
<input type="time">
<input type="time">
<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
<input type="text" placeholder="Tasks (Example: Grading)"/>
<button onclick="addRow9()" class="addLine">Add Row</button>
<button onclick="removeRow9()" class="addLine">Delete Row</button>
</div>
<div class="row10" id="row10">
<input type="date"/>
<input type="time">
<input type="time">
<input type="text" onblur="monthSum()" name="dayTotal" placeholder="Hours
(Example: 5)"/>
<input type="text" placeholder="Tasks (Example: Grading)"/>
<button onclick="addRow10()" class="addLine">Add Row</button>
<button onclick="removeRow10()" class="addLine">Delete Row</button>
</div>
</div>
<div class="janTimeWk1" id="janTime">
</div>
<div class="saveButton">
<form action="includes/timeSheetDec.php" method="POST">
<input type="text" name="stuId" id="stuId" placeholder="ID Number"/>
<input type="text" name="stuSign" id="stuSign" placeholder="Signature"/>
<input type="date" name="stuDate" id="stuDate" placeholder="Date"/>
<input type="text" name="monthTotal" id="monthTotal" placeholder="Total Hours"/>
<button type="submit" name="submit" class="save">Save</button>
</form>
</div>
</div>
<script>

</script>

</body>
</html>

```

Back End PHP Scripts

Login/Registration Scripts

Dbh.inc.php

```
<?php

$dbServername = "localhost";
$dbUsername = "root";
$dbPassword = "";
$dbName = "ta database";

$conn = mysqli_connect($dbServername, $dbUsername, $dbPassword, $dbName);
```

AdminSignup.php

```
<?php

if (isset($_POST['submit'])){

    include_once 'dbh.inc.php';

    $FName = mysqli_real_escape_string($conn, $_POST['FName']);
    $LName = mysqli_real_escape_string($conn, $_POST['LName']);
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $password= mysqli_real_escape_string($conn, $_POST['password']);

    /* Error Handlers */

    if (empty($FName) || empty($LName) || empty($email) || empty($password)) {

        header("Location: ../RegisterAdmin.php?RegisterAdmin=empty");
        exit();

    }
    /* Check for valid input */

    else {
        if (!preg_match("/^([a-zA-Z]*$/", $FName) || !preg_match("/^([a-zA-Z]*$/",
$LName)) {
            header("Location: ../RegisterAdmin.php?RegisterAdmin=invalid");
            exit();
        }
    }
}
```

```

/* Valid Email */
else {
    if(!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        header("Location:
        ./RegisterAdmin.php?RegisterAdmin=invalidemail") ;
        exit();
    }
    /* Valid Id */
    else{

        $sql = "SELECT * FROM admin WHERE ID_ADMIN='$id'";
        $result = mysqli_query($conn, $sql);
        $reusltCheck = mysqli_num_rows($result);

        if ($resultCheck > 0){
            header("Location:
            ./RegisterAdmin.php?RegisterAdmin=Idalreadyregisterd") ;
            exit();
        }

        /* Password hash */
        else {
            $hashedPassword = password_hash($password,
PASSWORD_DEFAULT);

            /* Insert User */
            $sql = "INSERT INTO admin (ADMIN_LNAME,
ADMIN_FNAME, ADMIN_EMAIL, ADMIN_PASSWORD) VALUES ('$LName', '$FName',
'$email', '$hashedPassword');";

            mysqli_query($conn, $sql);

            header("Location:
            ./RegisterAdmin.php?RegisterAdmin=Successfully Registered") ;
            exit();
        }
    }
}

else {
    header("Location: ./RegisterProfessor.php") ;
    exit();
}

```

```
}
```

ProfessorSignUp.php

```
<?php

if (isset($_POST['submit'])){

    include_once 'dbh.inc.php';

    $FName = mysqli_real_escape_string($conn, $_POST['FName']);
    $LName = mysqli_real_escape_string($conn, $_POST['LName']);
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $password= mysqli_real_escape_string($conn, $_POST['password']);

    /* Error Handlers */

    if (empty($FName) || empty($LName) || empty($email) || empty($password)) {

        header("Location: ../RegisterProfessor.php?RegisterProfessor=empty");
        exit();

    }
    /* Check for valid input */

    else {
        if (!preg_match("/^a-zA-Z*/", $FName) || !preg_match("/^a-zA-Z*/",
$LName)) {
            header("Location: ../RegisterProfessor.php?RegisterProfessor=invalid") ;
            exit();
        }
        /* Valid Email */
        else {
            if(!filter_var($email, FILTER_VALIDATE_EMAIL)) {
                header("Location:
..../RegisterProfessor.php?RegisterProfessor=invalidemail") ;
                exit();
            }
            /* Valid Id */
            else{

                $sql = "SELECT * FROM professor WHERE
PROF_LNAME='$LName'";
                $result = mysqli_query($conn, $sql);
                $reusltCheck = mysqli_num_rows($result);

            }
        }
    }
}
```

```

        if ($resultCheck > 0){
            header("Location:
..../RegisterProfessor.php?RegisterProfessor=Idalreadyregisterd") ;
            exit();

        }
        /* Password hash */
        else {
            $hashedPassword = password_hash($password,
PASSWORD_DEFAULT);

            /* Insert User */
            $sql = "INSERT INTO professor (PROF_LNAME,
PROF_FNAME, PROF_EMAIL, PROF_PASSWORD) VALUES ('$LName', '$FName',
'$email', '$hashedPassword');";

            mysqli_query($conn, $sql);

            header("Location:
..../RegisterProfessor.php?RegisterProfessor=Successfully Registered") ;
            exit();
        }

    }

}

else {
    header("Location: ..../RegisterProfessor.php") ;
    exit();
}

```

LoginProfessor.php

```

<?php

session_start();

if (isset($_POST['submit'])){

    include 'dbh.inc.php';

```

```

$useremail = mysqli_real_escape_string($conn, $_POST['email']);
$userpass = mysqli_real_escape_string($conn, $_POST['pwd']);

/* Check if input is empty */

if (empty($useremail) || empty($userpass)) {
    header("Location: ../ProfessorLogin.php?Login=empty");
    exit();
}

else{
    $sql = "SELECT * FROM professor WHERE PROF_EMAIL='".$useremail."'";
    $result = mysqli_query($conn, $sql);
    $resultCheck = mysqli_num_rows($result);

    if ($resultCheck < 1){
        header("Location: ../ProfessorLogin.php?Login=error1");
        exit();
    }
    else {
        if ($row = mysqli_fetch_assoc($result)){
            /* De-hashing passwords */
            $PwdCheck = password_verify($_POST['pwd'],
                $row['PROF_PASSWORD']);
            if ($PwdCheck == false){
                header("Location: ../ProfessorLogin.php?Login=error2");
                exit();
            }
            else if ($PwdCheck == true){
                /* Login User */

                $_SESSION['PROF_LAST'] = $row['PROF_LNAME'];
                $_SESSION['PROF_FIRST'] = $row['PROF_FNAME'];
                $_SESSION['PROF_EMAIL'] = $row['PROF_EMAIL'];

                header("Location: ../ProfessorLogin.php?Login=success");
                exit();
            }
        }
    }
}
else {
    header("Location: ../Login.php?Login=error");
    exit();
}

```

```
}
```

Login.php

```
<?php  
session_start();  
  
if (isset($_POST['submit'])){  
    include 'dbh.inc.php';  
  
    $useremail = mysqli_real_escape_string($conn, $_POST['email']);  
    $userpass = mysqli_real_escape_string($conn, $_POST['pwd']);  
  
    /* Check if input is empty */  
  
    if (empty($useremail) || empty($userpass)) {  
        header("Location: ../Login.php?Login=empty");  
        exit();  
    }  
    else{  
        $sql = "SELECT * FROM student WHERE STU_EMAIL='$useremail'";  
        $result = mysqli_query($conn, $sql);  
        $resultCheck = mysqli_num_rows($result);  
  
        if ($resultCheck < 1){  
            header("Location: ../Login.php?Login=error1");  
            exit();  
        }  
        else {  
            if ($row = mysqli_fetch_assoc($result)){  
                /* De-hashing passwords */  
                $PwdCheck = password_verify($_POST['pwd'],  
$row['STU_PASSWORD']);  
                if ($PwdCheck == false){  
                    header("Location: ../Login.php?Login=error2");  
                    exit();  
                }  
                else if ($PwdCheck == true){  
                    /* Login User */  
                    $_SESSION['STU_ID'] = $row['STUDENT_ID'];  
                    $_SESSION['STU_LAST'] = $row['STU_LNAME'];  
                }  
            }  
        }  
    }  
}
```

```

        $_SESSION['STU_FIRST'] = $row['STU_FNAME'];
        $_SESSION['STU_EMAIL'] = $row['STU_EMAIL'];

        header("Location:
        ./StudentMonthSelect.php?Login=success");
        exit();

    }

}

}

else {
    header("Location: ./Login.php?Login=error");
    exit();
}

```

LoginAdmin.php

```

<?php

session_start();

if (isset($_POST['submit'])){

    include 'dbh.inc.php';

    $useremail = mysqli_real_escape_string($conn, $_POST['email']);
    $userpass = mysqli_real_escape_string($conn, $_POST['pwd']);

    /* Check if input is empty */

    if (empty($useremail) || empty($userpass)) {
        header("Location: ../AdminLogin.php?Login=empty");
        exit();
    }

    else{
        $sql = "SELECT * FROM admin WHERE ADMIN_EMAIL='$useremail'";
        $result = mysqli_query($conn, $sql);
        $resultCheck = mysqli_num_rows($result);

        if ($resultCheck < 1){
            header("Location: ../AdminLogin.php?Login=error1");
            exit();
        }
    }
}

```

```

        }
    else {
        if ($row = mysqli_fetch_assoc($result)){
            /* De-hashing passwords */
            $PwdCheck = password_verify($_POST['pwd'],
            $row['ADMIN_PASSWORD']);
            if ($PwdCheck == false){
                header("Location: ../AdminLogin.php?Login=error2");
                exit();
            }
            else if ($PwdCheck == true){
                /* Login User */
                $_SESSION['ADMIN_ID'] = $row['ID_ADMIN'];
                $_SESSION['ADMIN_LAST'] =
                $row['ADMIN_LNAME'];
                $_SESSION['ADMIN_FIRST'] =
                $row['ADMIN_FNAME'];
                $_SESSION['ADMIN_EMAIL'] =
                $row['ADMIN_EMAIL'];

                header("Location: ../AdminLogin.php?Login=success");
                exit();
            }
        }
    }
}
else {
    header("Location: ../Login.php?Login=error");
    exit();
}

```

StudentSignUp.php

```

<?php

session_start();

if (isset($_POST['submit'])){

    include 'dbh.inc.php';

    $useremail = mysqli_real_escape_string($conn, $_POST['email']);
    $userpass = mysqli_real_escape_string($conn, $_POST['pwd']);

```

```

/* Check if input is empty */

if (empty($useremail) || empty($userpass)) {
    header("Location: ../AdminLogin.php?Login=empty");
    exit();
}

else{
    $sql = "SELECT * FROM admin WHERE ADMIN_EMAIL='$useremail'";
    $result = mysqli_query($conn, $sql);
    $resultCheck = mysqli_num_rows($result);

    if ($resultCheck < 1){
        header("Location: ../AdminLogin.php?Login=error1");
        exit();
    }
    else {
        if ($row = mysqli_fetch_assoc($result)){
            /* De-hashing passwords */
            $PwdCheck = password_verify($_POST['pwd'],
                $row['ADMIN_PASSWORD']);
            if ($PwdCheck == false){
                header("Location: ../AdminLogin.php?Login=error2");
                exit();
            }
            else if ($PwdCheck == true){
                /* Login User */
                $_SESSION['ADMIN_ID'] = $row['ID_ADMIN'];
                $_SESSION['ADMIN_LAST'] =
                $row['ADMIN_LNAME'];
                $_SESSION['ADMIN_FIRST'] =
                $row['ADMIN_FNAME'];
                $_SESSION['ADMIN_EMAIL'] =
                $row['ADMIN_EMAIL'];

                header("Location: ../AdminLogin.php?Login=success");
                exit();
            }
        }
    }
}
else {
    header("Location: ../Login.php?Login=error");
}

```

```
    exit();
}
```

Javascript Files

Add-Remove.js

```
function addRow(){

    var v = document.getElementById("test1");

    if (v.style.display === "none"){
        v.style.display = "block";
    }

    else {
        v.style.display = "block";
    }
}
```

```
function removeRow(){

    var r = document.getElementById("test1");

    if (r.style.display === "block"){
        r.style.display = "none";
    }

    else{
        r.style.display = "none";
    }
}
```

Month.js

```
*****
*****
*   These javascript functions are used for the dropdown menus in the student time sheets
pages, each dropdown gives the  *
*   student the option of selecting different semesters and different months, on select each
shows a certian page based  *
*   off of the student's selection.

*****
*****/
```

```

function sem() {
    document.getElementById("semDropdown").classList.toggle("show");
}
window.onclick = function(event)
{
    if (!event.target.matches('.semDropBtn'))
    {
        var dropdown = document.getElementsByClassName("semContent");
        var i;
        for (i = 0; i < dropdown.length; i++)
        {
            var openDropdown = dropdown[i];

            if (openDropdown.classList.contains('show'))
            {
                openDropdown.classList.remove('show');
            }
        }
    }
}

function month1() {

    document.getElementById("month1Dropdown").classList.toggle("show");

    window.onclick = function(event)
    {
        if (!event.target.matches('.month1DropBtn'))
        {
            var dropdown = document.getElementsByClassName("month1Content");
            var i;

            for (i = 0; i < dropdown.length; i++)
            {
                var openDropdown = dropdown[i];

                if (openDropdown.classList.contains('show'))
                {
                    openDropdown.classList.remove('show');

                }
            }
        }
    }
}
TAjscript.js

```

```

var targInput = document.getElementsByName ("dayTotal");
targInput.addEventListener ("blur", myFunction, false);

function monthSum(){
    var arr = document.getElementsByName('dayTotal');
    var dayTotal=0;
    for(var i=0;i<arr.length;i++){
        if(parseInt(arr[i].value))
            dayTotal += parseInt(arr[i].value);
    }
    document.getElementById('monthTotal').value = dayTotal;
}

```

```

function showStudentList() {

    var s = document.getElementById("studentHrs");

    if (s.style.display === "none"){
        s.style.display = "block";
    }

    else{
        s.style.display = "none";
    }
}

```

CSS Files

Main.css

```

*****
***** This CSS file is the file that will be used for the main website after login, this includes the
admin,      *
* professor, and student views.
*

*****
html{
    background-color: #ebebeb;
    font-family: Arial,Helvetica,sans-serif;
}
header{
    background-color: #be0f34;

```

```

height: 75px;
width: auto;
padding-left: 10px;
padding-right: 10px;
padding-top: 10px;
}

input[type=button]{
background-color: #be0f34;
color: white;
margin: 10px;
padding: 16px;
font-size: 16px;
border: none;
cursor: pointer;
width: auto;
}
input[type=button]:hover{
background-color: #800a23;
}

```

```

TextHead{

text-align: right;
font-family: Arial,Helvetica,sans-serif;
color: white;
}
*****
*****  

* The navBar classes all are a part of the dark red bar at the top of the page, it's function is to
direct *
* the logged in user to the different pages that their login has access too. The bar is set to float
left, *
* so all links to different pages will be organized on the left side of the screen while the text is
set to *
* the center of each part's designated space. It also changes color when you hover your mouse
over it. *
*****  

*****  

.navBar{
background-color: #800a23;
height: 45px;
width: auto;
padding-left: 10px;
padding-right: 10px;
}
```

```
padding-bottom: 10px;  
padding-top: 5px;  
margin-bottom: 10px;  
}  
.navBar a:hover{  
background-color: #be0f34;  
}  
.navBar a{  
float: left;  
font-size: 16px;  
color: white;  
text-align: center;  
padding: 14px 16px;  
text-decoration: none;  
}  
  
.selectbar{  
text-align: top right;  
color: white;  
font-family: Arial,Helvetica,sans-serif;  
}  
.dropDownMenus{  
background-color: white;  
float: center;  
height: auto;  
width: auto;  
padding-left: 10px;  
padding-right: 10px;  
padding-bottom: 10px;  
padding-top: 5px;  
margin-bottom: 10px;  
margin-top: 20px;  
}  
.timeSheetMain{  
background-color: white;  
float: center;  
height: auto;  
width: auto;  
padding-left: 10px;  
padding-right: 10px;  
padding-bottom: 10px;  
padding-top: 5px;  
margin-bottom: 10px;  
margin-top: 20px;
```

```
}

.logo{

    float: right;
    height: 40px;
}

.dropdown{
    position: relative;
    display: inline-block;
}

.semDropBtn{
    background-color: #be0f34;
    color: white;
    width: 160px;
    margin-top: 10px;
    padding: 16px;
    font-size: 16px;
    border: none;
    cursor: pointer;
    float: center;
}

.semDropBtn:hover, .dropbtn:focus{

    background-color: #800a23;
}

.adminDropBtn{
    background-color: #be0f34;
    color: white;
    width: auto;
    margin-top: 10px;
    padding: 16px;
    font-size: 16px;
    border: none;
    cursor: pointer;
    float: center;
}

.adminDropBtn:hover, .dropbtn:focus{

    background-color: #800a23;
}

.semContent{
    display: none;
    position: absolute;
    background-color: #ebebeb;
    min-width: 160px;
    overflow: auto;
```

```
    box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
    z-index: 1;
}

.semContent a{

    color: black;
    padding: 12px 16px;
    text-decoration: none;
    display: block;
}
.semContent a:hover{

    background-color: white;
}
.adminContent{

    display: none;
    position: absolute;
    background-color: #ebebeb;
    min-width: 160px;
    overflow: auto;
    box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
    z-index: 1;
}

.adminContent a{

    color: black;
    padding: 12px 16px;
    text-decoration: none;
    display: block;
}
.adminContent a:hover{

    background-color: white;
}
.month1DropBtn{

    width: 160px;
    background-color: #be0f34;
    color: white;
    margin-top: 10px;
    padding: 16px;
    font-size: 16px;
    border: none;
    cursor: pointer;
    float: center;
}
```

```
}

.month1DropBtn:hover, .dropbtn:focus{

    background-color: #800a23;
}

.month1Content{

    display: none;
    position: absolute;
    background-color: #ebebeb;
    min-width: 160px;
    overflow: auto;
    box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
    z-index: 1;
}

.month1Content a{

    color: black;
    padding: 12px 16px;
    text-decoration: none;
    display: block;
}

.month1Content a:hover{

    background-color: white;
}

.month2DropBtn{

    width: 160px;
    background-color: #be0f34;
    color: white;
    margin-top: 10px;
    padding: 16px;
    font-size: 16px;
    border: none;
    cursor: pointer;
    float: center;

}

.month2DropBtn:hover, .dropbtn:focus{

    background-color: #800a23;
}

.month2Content{

    position: absolute;
    background-color: #ebebeb;
    min-width: 160px;
```

```
overflow: auto;
box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
z-index: 1;
display: none;
}
.month2Content a{

color: black;
padding: 12px 16px;
text-decoration: none;
display: block;
}
.month2Content a:hover{

background-color: white;
}
.month3DropBtn{
width: 160px;
background-color: #be0f34;
color: white;
margin-top: 10px;
padding: 16px;
font-size: 16px;
border: none;
cursor: pointer;
float: center;
}
.month3DropBtn:hover, .dropbtn:focus{

background-color: #800a23;
}
.month3Content{
display: none;
position: absolute;
background-color: #ebebeb;
min-width: 160px;
overflow: auto;
box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
z-index: 1;
}
.month3Content a{

color: black;
padding: 12px 16px;
text-decoration: none;
display: block;
```

```
}

.month3Content a:hover{

    background-color: white;
}

.show {display:block; }

h7{
    float: center;
    padding: 45px;
    margin: 35px;
    font-size: 35px;
}

LogoutButton{

    color: white;
    font-family: Arial,Helvetica,sans-serif;
    font-size: 16px;
    background-color: #be0f34;
    height: 45px;
    width: auto;
    padding-left: 10px;
    padding-right: 10px;
    padding-bottom: 10px;
    padding-top: 5px;
    margin-bottom: 10px;
    border: none;
    cursor: pointer;
    float: right;
}

LogoutButton a:hover{

    text-decoration: underline;
}

SaveButton{

    width: 160px;
    background-color: #be0f34;
    color: white;
    margin-top: 10px;
    padding: 16px;
    font-size: 16px;
    border: none;
    cursor: pointer;
    float: center;
}
```

```
}

.SaveButton a:hover{
    text-decoration: underline;
}

.box{
    position: relative;
    float: center;

}

input{
    width: 15%;
    box-sizing: border-box;
    margin-top: 35px;
    margin-bottom: 35px;
    margin-left: 10px;
    margin-right: 10px;
    height: 50px;
    font-size: 16px;
    text-align: center;
}

.addLine{
    background-color: #be0f34;
    color: white;
    margin-top: 10px;
    padding: 16px;
    font-size: 16px;
    border: none;
    cursor: pointer;
}

.addLine:hover{

    background-color: #800a23;
}

h8{
    position: inherit;
    padding: 45px;
    margin: 25px;
    font-size: 25px;
```

```
}

.save{
    background-color: #be0f34;
    color: white;
    margin-top: 10px;
    padding: 16px;
    font-size: 16px;
    border: none;
    cursor: pointer;
    float: center;
    width: 120px;
    margin-right: 100px;
}

.save: a:hover{
    background-color: #800a23;
}

.h25{

}

.studentInfo{
    background-color: white;
    font-size: 36px;
    height: auto;
    width: auto;
    padding-left: 10px;
    padding-right: 10px;
    padding-bottom: 10px;
    padding-top: 5px;
    margin-bottom: 10px;
    margin-top: 20px;
}

.expand{
    width: 160px;
    background-color: #be0f34;
    color: white;
    margin-top: 10px;
    padding: 16px;
    font-size: 16px;
    border: none;
```

```
        cursor: pointer;
        float: center;
    }

.profList{
    background-color: white;
    height: auto;
    width: auto;
    padding-left: 10px;
    padding-right: 10px;
    padding-bottom: 10px;
    padding-top: 5px;
    margin-bottom: 10px;
    margin-top: 20px;
    font-size: 36px;
}
.expand: a:hover{
    background-color: #800a23;
}
#monthTotal{

    float: center;
}

h9{

    float: center;
}

.test{
    display: none;
}

.row3{
    display: none;
}

.row4{
    display: none;
}

.row5{
    display: none;
}

.row6{
    display: none;
}
```

```
}

.row7{
    display: none;
}

.row8{
    display: none;
}

.row9{
    display: none;
}

.row10{
    display: none;
}

h30{
    display: none;
}

.mainInfo{
    background-color: white;
    float: center;
    height: auto;
    width: auto;
    padding-left: 10px;
    padding-right: 10px;
    padding-bottom: 10px;
    padding-top: 5px;
    margin-bottom: 10px;
    margin-top: 20px;
    text-align: Left;
    font-size: 36px;
}

.bugReport{
    background-color: white;
    float: right;
    height: auto;
    width: 700px;
    padding-left: 10px;
    padding-right: 10px;
    padding-bottom: 10px;
    padding-top: 5px;
    margin-bottom: 10px;
    margin-top: 20px;
    text-align: center;
}
```

```
.submitButton{  
    float: center;  
    margin: 20px;  
}  
.otherSubmit{  
    float: center;  
    margin: 20px;  
}  
  
h10{  
    float: center;  
    margin: 40px;  
    font-size: 24px;  
}  
  
.bugArea{  
    float: center;  
    margin: 50px;  
}  
  
.question{  
    background-color: white;  
    float: left;  
    height: auto;  
    width: 700px;  
    padding-left: 10px;  
    padding-right: 10px;  
    padding-bottom: 10px;  
    padding-top: 5px;  
    margin-bottom: 10px;  
    margin-top: 20px;  
    text-align: center;  
}  
.questArea{  
    float: center;  
    margin: 40px;  
    margin-left: 100px;  
    padding-left 40px;  
}
```

```
}

h15{
    float: right;
}

h19{

.pendingStudentList{
    background-color: white;
    float: center;
    height: auto;
    width: auto;
    padding-left: 10px;
    padding-right: 10px;
    padding-bottom: 10px;
    padding-top: 5px;
    margin-bottom: 10px;
    margin-top: 20px;
}
.studentList{
    background-color: white;

    height: auto;
    width: auto;
    padding-left: 10px;
    padding-right: 10px;
    padding-bottom: 10px;
    padding-top: 5px;
    margin-bottom: 10px;
    margin-top: 20px;
    font-size: 36px;
}
.studentList1{
    background-color: white;
    float: center;
    height: auto;
    width: auto;
    padding-left: 10px;
    padding-right: 10px;
    padding-bottom: 10px;
    padding-top: 5px;
```

```
margin-bottom: 10px;
margin-top: 20px;
font-size: 26px;
}

.studentHrs{
    display: none;
}
.plusButton1{
    background-color: #be0f34;
    color: white;
    width: 40px;
    height: 40px;
    margin-top: 10px;
    padding: 10px;
    font-size: 16px;
    border: none;
    cursor: pointer;
}
.plusButton1:hover{
    background-color: #800a23;
}
.plusButton{
    background-color: #be0f34;
    color: white;
    width: 40px;
    height: 40px;
    margin-top: 10px;
    margin-left: 35px;
    padding: 10px;
    font-size: 16px;
    border: none;
    cursor: pointer;
}
.plusButton:hover{
    background-color: #800a23;
}

.approve{
    background-color: #be0f34;
    color: white;
    width: 125px;
    height: 50px;
    margin-top: 10px;
```

```
padding: 10px;
font-size: 16px;
border: none;
cursor: pointer;
}
.approve:hover{
background-color: #800a23;
}

.deny{
background-color: #be0f34;
color: white;
width: 125px;
height: 50px;
margin-top: 10px;
padding: 10px;
font-size: 16px;
border: none;
cursor: pointer;
}
.deny:hover{
background-color: #800a23;
}

.juneReport{
background-color: #be0f34;
color: white;
width: 225px;
height: 50px;
margin-top: 10px;
padding: 10px;
font-size: 16px;
border: none;
cursor: pointer;
}
.juneReport:hover{
background-color: #800a23;
}

.julyReport{
background-color: #be0f34;
color: white;
width: 225px;
height: 50px;
margin-top: 10px;
```

```
padding: 10px;
font-size: 16px;
border: none;
cursor: pointer;
}

.julyReport:hover{
background-color: #800a23;
}

.augustReport{
background-color: #be0f34;
color: white;
width: 225px;
height: 50px;
margin-top: 10px;
padding: 10px;
font-size: 16px;
border: none;
cursor: pointer;
}

.augustReport:hover{
background-color: #800a23;
}

.juneStudents{
display: none;
}

.showJuly{
display: none;
}
.showAugust{
display: none;
}

.studentList2{
background-color: white;
float: center;
height: auto;
width: auto;
padding-left: 10px;
padding-right: 10px;
padding-bottom: 10px;
```

```
padding-top: 5px;
margin-bottom: 10px;
margin-top: 20px;
font-size: 26px;
}

.juneReport1{
background-color: #be0f34;
color: white;
width: 225px;
height: 50px;
margin-top: 10px;
padding: 10px;
font-size: 16px;
border: none;
cursor: pointer;
}

.juneReport1:hover{
background-color: #800a23;
}

.julyReport1{
background-color: #be0f34;
color: white;
width: 225px;
height: 50px;
margin-top: 10px;
padding: 10px;
font-size: 16px;
border: none;
cursor: pointer;
}

.julyReport1:hover{
background-color: #800a23;
}

.augustReport1{
background-color: #be0f34;
color: white;
width: 225px;
height: 50px;
margin-top: 10px;
padding: 10px;
font-size: 16px;
```

```
border: none;
cursor: pointer;
}

.augustReport1:hover{
background-color: #800a23;
}

.studentHrs1{
display: none;
}

.juneStudents1{
display: none;
}

.showJuly1{
display: none;
}
.showAugust1{
display: none;
}

.januaryStudents{
display: none;
}

.showFebruary{
display: none;
}
.showMarch{
display: none;
}
.showApril{
display: none;
}

.Report{
background-color: #be0f34;
color: white;
width: 225px;
height: 50px;
margin-top: 10px;
padding: 10px;
font-size: 16px;
```

```
border: none;
cursor: pointer;
}

.Report:hover{
background-color: #800a23;
}

.januaryStudents1{
display: none;
}

.showFebruary1{
display: none;
}

.showMarch1{
display: none;
}

.showApril1{
display: none;
}

.septemberStudents{
display: none;
}

.showOctober{
display: none;
}

.showNovember{
display: none;
}

.showDecember{
display: none;
}

.septemberStudents1{
display: none;
}

.showOctober1{
display: none;
}

.showNovember1{
display: none;
}

.showDecember1{
```

```
        display: none;
    }

.acceptButtons{
    display: none;
}

.acceptButtons1{
    display: none;
}

.pendingStudent{
    background-color: white;
    float: center;
    height: auto;
    width: auto;
    padding-left: 10px;
    padding-right: 10px;
    padding-bottom: 10px;
    padding-top: 5px;
    margin-bottom: 10px;
    margin-top: 20px;
    font-size: 26px;
}

.pendingStudentList{
    background-color: white;
    float: center;
    height: auto;
    width: auto;
    padding-left: 10px;
    padding-right: 10px;
    padding-bottom: 10px;
    padding-top: 5px;
    margin-bottom: 10px;
    margin-top: 20px;
    font-size: 36px;
}

.approve{
    margin-left: 60px;
}

.pendingStudent1{
    background-color: white;
    float: center;
    height: auto;
    width: auto;
```

```
padding-left: 10px;
padding-right: 10px;
padding-bottom: 10px;
padding-top: 5px;
margin-bottom: 10px;
margin-top: 20px;
font-size: 26px;
}

.remove{
background-color: #be0f34;
color: white;
width: 225px;
height: 50px;
margin-top: 10px;
margin-left: 45px;
padding: 10px;
font-size: 16px;
border: none;
cursor: pointer;
}

.remove:hover{
background-color: #800a23;
}

.removeButton{
display: none;
}
.removeButton1{
display: none;
}

#mainBlock{
background-color: #ebebeb;
text-indent: 40%;
width: 1000px;
font size: 28px;
margin: -5px;
padding: 10px;
}

.stuReports{

background-color: white;
```

```
float: center;
height: auto;
width: auto;
padding-left: 10px;
padding-right: 10px;
padding-bottom: 10px;
padding-top: 5px;
margin-bottom: 10px;
margin-top: 20px;
font-size: 26px;
}
```

TA.css

```
html {
    font-family: Arial,Helvetica,sans-serif;
}
body{
    background-color: #ebebeb;
}
article{
    background-color: #be0f34;
    color: white;
    font-family: Arial, Helvetica, sans-serif;
    text-align: left;
    padding-bottom: 5px;
    padding-left: 10px;
    border-radius: 5px;
    height: 70px;
}
input{
    border-radius: 5px;
    text-align: center;
    width: 200px;
    height: 35px;
    margin-bottom: 10px;
    padding-top: 5px;
}
button{
    margin: 0 auto;
    background-color: #800a23;
    color: white;
    height: 35px;
    width: 90px;
```

```
padding-left: 10px;  
padding-right: 5px;  
padding-bottom: 10px;  
padding-top: 5px;  
margin-top: 5px;  
margin-right: 5px;  
border-radius: 5px;  
border: none;  
cursor: pointer;  
  
}  
button a:hover{  
    background-color: #be0f34;  
}  
a{  
    text-decoration: none;  
    color: white;  
}  
  
/* Login Page */  
.navlogin{  
    background-color:#800a23;  
    padding-bottom: 5px;  
    padding-left: 10px;  
    border-radius: 5px;  
    height: 20px;  
}  
.login{  
    margin: 0 auto;  
    width: 250px;  
    height:350px;  
    background-color: #ffffff;  
    padding-left: 50px;  
    padding-right: 50px;  
    padding-top: 50px;  
    padding-bottom: 50px;  
    margin-bottom: 100px;  
    margin-top: 100px;  
    border-radius: 5px;  
}  
.logo{  
    height: 50px;  
    float: center;  
}
```

```
/* Registration Pages */
.register{
    margin: 0 auto;
    width: 250px;
    height:500px;
    background-color: #ffffff;
    padding-left: 50px;
    padding-right: 50px;
    padding-top: 50px;
    padding-bottom: 50px;
    margin-bottom: 100px;
    margin-top: 100px;
}

.registerProf{
    margin: 0 auto;
    width: 250px;
    height:400px;
    background-color: #ffffff;
    padding-left: 50px;
    padding-right: 50px;
    padding-top: 50px;
    padding-bottom: 50px;
    margin-bottom: 100px;
    margin-top: 100px;
    border-radius: 5px;
}

.loginSelect{
    margin: 0 auto;
    width: 500px;
    height: 350px;
    background-color: #ffffff;
    padding-left: 50px;
    padding-right: 50px;
    padding-top: 50px;
    padding-bottom: 50px;
    margin-bottom: 100px;
    margin-top: 100px;
    border-radius: 5px;
}

#BigButton{
    float: left;
    background-color: #be0f34;
    color: white;
    height: 100px;
```

```
width: 500px;  
font-size: 28px;  
padding-left: 10px;  
padding-right: 10px;  
padding-bottom: 10px;  
padding-top: 5px;  
margin-top: 5px;  
margin-right: 10px;  
border-radius: 5px;  
border: none;  
cursor: pointer;  
}
```